

# AR-15 CSAT COMBAT REAR SIGHT - XS SIGHT SYSTEMS AR-15 ADJUSTABLE CSAT COMBAT REAR SIGHT BLACK

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

## Switch From CQB Mode To Long-Range Targeting Without Changing The Aperture

Easy-to-use replacement for standard A2 rear aperture allows the shooter to engage targets at ranges up to 300 yards without changing the aperture, eliminating the need to reposition your head or take hands off weapon. The .095" wide notch at the top of the dual-function aperture face provides point-of-impact zero that lets the operator engage close-range targets with ease by simply shooting to the point of aim like a pistol. Takes the thinking out of the equation for fast, instinctive target acquisition. Use the .070" diameter aperture below the notch for precise long-range target engagement. Flip the CSAT face down to reveal a standard, A2-style .200" diameter peep for close-range only operations. CSAT is easy to zero; even easier to train shooters to use. Zero the notch at 7 yards by aligning the front sight in the notch like a handgun sight, then move back to 100 yards and zero the aperture. Fire test shots sighted through the notch in 5-yard intervals, starting at 10-yards to determine where offset sets in; that's the range where you should transition to the peep hole. Precision machined from steel, with a serrated rear face that minimizes glare, and a dished area around the peep hole that helps the eye acquire the front sight quickly. Adjusts for windage and elevation just like a standard A2 peep. Developed by Paul Howe, combat shooting trainer and retired U.S. Army assault team leader, sniper, and senior instructor.



## Attributes

- Name: [XS SIGHT SYSTEMS AR-15 ADJUSTABLE CSAT COMBAT REAR SIGHT BLACK](#)
- Manufacturer: [XS SIGHT SYSTEMS](#)
- Product no.: 006000163
- Mfr. No.: AR-2004-9
- Colour: Black
- Style: Adjustable
- Weapon type: AR-15
- Delivery weight: 0.023kg
- Shipping height: 33mm
- Shipping width: 122mm
- Shipping length: 185mm
- UPC: 647533038454

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AR15 CSAT Combat Rear Sight
- About Us

# Safety Instruction Guide for AR15 CSAT Combat Rear Sight

## Introduction

Thank you for choosing the AR15 CSAT Combat Rear Sight by XS Sight Systems. This guide provides important safety information and instructions to ensure the safe and effective use of your rear sight. Please read this guide thoroughly before installation and usage.

## General Safety Guidelines

- Always handle firearms with care and attention.
- Ensure that the firearm is unloaded before installing or adjusting the rear sight.
- Familiarize yourself with the operation of your firearm and the rear sight before use.
- Use the rear sight only for its intended purpose as outlined in this guide.
- Keep the rear sight and firearm out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the rear sight is properly installed and secured before using the firearm.
- Always wear appropriate eye and ear protection when shooting.
- Do not attempt to adjust the rear sight while aiming or firing the firearm.
- Be aware of your surroundings and ensure a safe shooting environment.
- Use the correct ammunition for your firearm.
- Transition to the peep hole only when necessary and after determining the offset range.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded.
- Remove the existing A2 rear sight from the firearm.
- Align the AR15 CSAT Combat Rear Sight with the mounting platform.
- Secure the sight using the appropriate screws or mounting hardware.
- Confirm that the sight is stable and correctly positioned.

### 2. Usage:

- To engage closerange targets, use the .095" wide notch. Align the front sight in the notch similar to a handgun sight.
- For longrange target engagement, switch to the .070" diameter aperture below the notch.
- When transitioning to the peep hole, flip the CSAT face down to access the standard A2style .200" diameter peep.
- Zero the notch at 7 yards, then adjust for 100 yards using test shots in 5yard intervals.

## Disposal Instructions

- Dispose of the rear sight in accordance with local regulations.
- Do not dispose of the sight in regular household waste.
- Contact your local waste management authority for information on proper disposal methods.

## **Contact Information for Further Support**

For any inquiries regarding safety or usage of the AR15 CSAT Combat Rear Sight, please refer to the contact details provided by the retailer or manufacturer.

Thank you for prioritizing safety and following these guidelines. Enjoy your shooting experience responsibly!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)