

# ACRO CUT SLIDE FOR GLOCK® 19 GEN 3 - BROWNEllS SLIDE WITH AIMPOINT ACRO P-2 FOR GLOCK® 19 GEN 3

[Handgun Parts](#) > [Slide Parts](#) > [Slides](#)

## Build a Custom Compact Pistol With Integral Mount for an Aimpoint Sight

The Brownells Acro Cut Slide for Glock® 19 Gen3 offers the ease and convenience of our popular RMR Slides to folks who prefer to mount an Aimpoint Acro P-1 red dot sight on their Glocks. This slide comes with a slot machined directly into the top for mounting the Acro P-1 - just screw on the red dot (screws included) and hit the range. No additional mounts or hardware to buy! Each Acro Cut Slide for Glock® 19 is precision machined from a 17-4 stainless steel billet and heat-treated to Rc 41-44 for excellent resistance to surface wear. Inside, the slide is machined to factory specs, so it will accept readily available factory or aftermarket parts for Gen3 Glock® pistols.

Outside, there's a Glock® factory rear sight dovetail and front sight tenon cut ready for any factory or aftermarket "iron" sights" (actually, plastic or steel) that can be co-witnessed with the Acro P-1. A tough, non-reflective Black Nitride finish boosts the slide's resistance to surface wear and further protects it from corrosion. Fits Gen3 Glock® 19 pistols & clones Pre-cut Aimpoint Acro P-1 mounting slot (screws included) Factory front/rear sight cuts, too Distinctive "window" cutout on top Machined from hardened (Rc 41-44) 17-4 stainless steel billet Factory-style rear cocking serrations come standard on the Acro Cut Slide for Glock® 19, plus additional front serrations for enhanced manipulation. A window cutout on top between the front serrations vents heat to keep the barrel cool during extended fire, AND if you have an aftermarket barrel with a contrasting finish or a unique exterior pattern (fluting, spirals, "flames," etc.), the window helps you show it off a bit! Brownells Gun Tech™ Note: Channel liner required for these slides. Channel liner is a press fit and requires a tool to install. We recommend #777-100-017.



## Attributes

- Name: [BROWNEllS SLIDE WITH AIMPOINT ACRO P-2 FOR GLOCK® 19 GEN 3](#)
- Manufacturer: [BROWNEllS](#)
- Product no.: 078000699
- Mfr. No.: 200691G19
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 19
- Sights: Aimpoint Acro P-2
- Style: Window
- Weapon type: Glock
- Delivery weight: 0.449kg
- Shipping height: 3mm
- Shipping width: 3mm
- Shipping length: 3mm

## Item details

US export classification: 0A501.x

# Table of Contents

- Startpage
- ACRO CUT SLIDE FOR GLOCK® 19 GEN 3 SAFETY INSTRUCTION GUIDE
- About Us

# ACRO CUT SLIDE FOR GLOCK® 19 GEN 3 SAFETY INSTRUCTION GUIDE

## Introduction

Thank you for choosing the ACRO Cut Slide for Glock® 19 Gen 3. This product is designed to enhance your shooting experience by allowing you to mount an Aimpoint Acro P1 red dot sight. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that you are familiar with the operation of your Glock® 19 Gen 3 before using the ACRO Cut Slide.
- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the firearm and the slide in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the slide and firearm for any signs of wear or damage.
- Use only compatible parts and accessories with your Glock® 19 Gen 3.
- Follow all local laws and regulations regarding firearm ownership and usage.

## Specific Safety Precautions for Use

- Only use the ACRO Cut Slide with Glock® 19 Gen 3 pistols.
- Ensure that the Aimpoint Acro P1 red dot sight is securely mounted before using the firearm.
- Avoid using the firearm in wet or muddy conditions to prevent damage to the slide and sight.
- Do not attempt to modify the ACRO Cut Slide or any of its components.
- If you notice any unusual performance or malfunctions, cease use immediately and consult a qualified gunsmith.

## Instructions for Installation and Usage

### 1. Installation of the ACRO Cut Slide:

- Ensure your Glock® 19 Gen 3 is unloaded and pointed in a safe direction.
- Remove the factory slide from the frame by following the manufacturer's instructions.
- Align the ACRO Cut Slide with the frame of your Glock® 19 Gen 3.
- Securely attach the slide to the frame, ensuring it is properly seated.
- Install the Aimpoint Acro P1 by placing it into the precut mounting slot on the slide. Use the included screws to secure it in place.

### 2. Usage:

- Once installed, perform a function check to ensure that the slide operates smoothly.
- Load your firearm with the appropriate ammunition (9 mm Luger).
- Practice safe handling and shooting techniques at a designated shooting range.
- After extended use, allow the slide to cool down to prevent overheating.

## Disposal Instructions

- Dispose of the ACRO Cut Slide in accordance with local regulations regarding the disposal of firearms and firearm components.
- Do not discard the slide in regular household waste. Contact local authorities or a licensed firearms dealer for proper disposal methods.

## Contact Information for Further Support

For any safety inquiries or additional support regarding the ACRO Cut Slide for Glock® 19 Gen 3, please refer to the manufacturer's contact information provided in the product documentation or visit the official website.

## Conclusion

By following these safety instructions, you can ensure a safe and enjoyable shooting experience with your ACRO Cut Slide for Glock® 19 Gen 3. Always prioritize safety and adhere to best practices when handling firearms.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)