

RUGER® DOUBLE ACTION SCREWDRIVER SET - RUGER® DOUBLE ACTION EJECTOR DRIVER SET

[Gunsmith Tools & Supplies](#) > [General Gunsmith Tools](#) > [Screwdrivers & Sets](#) > [Magna-Tip Bits](#)

Self-Storing, Carry Along For 'Smiths & Shooters

Heat-treated, ejector retainer bit with Magna-Tip handle helps remove the ejector retainer screw; a “must do” step for complete disassembly of Ruger® double action cylinders. Self-aligns perfectly over the center pin rod during removal.



Attributes

- Name: [RUGER® DOUBLE ACTION EJECTOR DRIVER SET](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080000362
- Mfr. No.:
- Make: Ruger
- Model: Universal Handguns
- Delivery weight: 0.224kg
- UPC: 050806005983

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RUGER® DOUBLE ACTION SCREWDRIVER SET
- About Us

Safety Instruction Guide for RUGER® DOUBLE ACTION SCREWDRIVER SET

Introduction

Thank you for choosing the RUGER® DOUBLE ACTION SCREWDRIVER SET. This product is designed to assist in the disassembly of Ruger® double action cylinders safely and effectively. Please read this safety instruction guide carefully to ensure proper use and to minimize any risks associated with the product.

General Safety Guidelines

- Always use the screwdriver set in accordance with the manufacturer's instructions.
- Ensure that the work area is clean, dry, and welllit.
- Keep the screwdriver set out of reach of children and vulnerable individuals.
- Inspect the tool for any damage before use. Do not use if damaged.
- Wear appropriate personal protective equipment (PPE) such as safety glasses to protect your eyes.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use the ejector retainer bit only for its intended purpose.
- Ensure that the screwdriver is properly aligned with the screw before applying force.
- Do not force the screwdriver if it does not turn easily; check for misalignment or damage.
- Avoid using excessive force, which can lead to tool breakage or personal injury.
- Store the screwdriver set in a safe place when not in use to prevent accidental injury.

Instructions for Installation and Usage

1. Preparation

- Ensure that you have the correct model of the Ruger® firearm that the screwdriver set is designed for.
- Gather all necessary tools and materials before starting the procedure.

2. Using the Ejector Retainer Bit

- Insert the ejector retainer bit into the MagnaTip handle.
- Align the bit with the ejector retainer screw on the firearm cylinder.
- Turn the handle counterclockwise to loosen the screw.
- Once the screw is removed, set it aside in a safe location to avoid loss.

3. Removing the Ejector Retainer

- After removing the screw, gently pull the ejector retainer out from the cylinder.
- Inspect the ejector and surrounding area for any signs of damage or wear.

4. Reassembly

- To reassemble, align the ejector retainer back into position.
- Insert the ejector retainer screw and tighten it by turning the handle clockwise until secure.
- Do not overtighten, as this may damage the screw or the ejector retainer.

Disposal Instructions

- Dispose of any damaged or wornout parts responsibly.
- Follow local regulations for disposal of tools and materials.
- Do not dispose of the screwdriver set in household waste; consider recycling options if available.

Contact Information for Further Support

For any inquiries regarding the RUGER® DOUBLE ACTION SCREWDRIVER SET, please refer to the manufacturer's contact information provided on the packaging or visit the official website.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at