

FIBER OPTIC REPLACEMENT RODS - .030" (.75MM) REPLACEMENT ROD, RED

[Handgun Parts](#) > [Sights](#) > [Sight Parts](#) > [Replacement Sight Inserts](#)

Super Bright For Enhanced Sight Picture

Refurbish fiber optic sights by replacing broken or damaged rods, or change your sight colors to enhance your sight picture with these super-bright replacement rods. Sold in 6" lengths; cut to fit your needs. Available in four common diameters (see below).



Attributes

- Name: [.030" \(.75MM\) REPLACEMENT ROD, RED](#)
- Manufacturer: [BROWNELL'S](#)
- Product no.: 080000725
- Mfr. No.: NONE
- Make: Universal Handguns
- Delivery weight: 0.005kg
- Shipping width: 107mm
- Shipping length: 208mm
- UPC: 050806006423

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for FIBER OPTIC REPLACEMENT RODS .030" (.75MM) REPLACEMENT ROD, RED
- About Us

Safety Instruction Guide for FIBER OPTIC REPLACEMENT RODS .030" (.75MM) REPLACEMENT ROD, RED

Introduction

Thank you for choosing the FIBER OPTIC REPLACEMENT RODS. This guide provides essential safety instructions to ensure the safe use and handling of your replacement rods. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure safe handling and use of the product to prevent accidents.
- Always inspect the replacement rods for any signs of damage before use.
- Keep the product out of reach of children and vulnerable individuals.
- Follow all instructions carefully to avoid potential hazards.
- In case of any safety concerns, report them to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use damaged rods. Inspect for cracks or breaks before installation.
- Use appropriate tools when cutting the rods to avoid injury.
- Wear safety goggles when cutting or installing the rods to protect your eyes.
- Ensure that the rods are securely installed to prevent them from dislodging during use.
- Avoid exposure to extreme temperatures and moisture, which may affect the integrity of the rods.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools (e.g., cutting tool, safety goggles).
- Choose the desired length for the replacement rod.

2. Cutting the Rod:

- Measure the required length of the rod carefully.
- Use a cutting tool to cut the rod to your desired length.
- Wear safety goggles during this process to protect your eyes from debris.

3. Installation:

- Remove any broken or damaged rods from your fiber optic sight.
- Insert the new replacement rod into the sight carefully.
- Ensure the rod fits snugly and securely in place.

4. Final Check:

- Inspect the installation to ensure the rod is properly secured.
- Test the sight to confirm functionality before use.

Disposal Instructions

- Dispose of any broken or unused rods in accordance with local regulations.
- Do not dispose of rods in household waste if they are classified as hazardous.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or concerns regarding the FIBER OPTIC REPLACEMENT RODS, please refer to the EU contact point provided by the manufacturer. Ensure to check for any recall updates on the EU's Safety Gate platform regularly.

Thank you for your attention to these safety instructions. We hope you enjoy using your FIBER OPTIC REPLACEMENT RODS safely and effectively.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at