

# POLISH-O-RAY® - 140 GRIT POLISH-O-RAY

[Gunsmith Tools & Supplies](#) > [Metal Prep & Coloring](#) > [Polishing Tools & Accessories](#) > [Polishing Compounds](#)

## Shop-Proven Premium-Grade Polish For The Professional

The answer to a gun polisher's dream! Made to the highest standards of quality with carefully screened, true-sized grits for reliable, repeatable results and a natural, greaseless base that doesn't leave a residue to mess up bluing or plating jobs. Packed in a formed, flexible plastic tube to stay fresh between uses. 1) Unlike hard drying abrasives, Polish-O-Ray® sets up to a medium soft surface without flinty hard flakes which, regardless of grit size being used, can do serious damage to a polished surface. 2) It is easily applied to polishing wheels without stopping the motor. Simply press the open end of the tube to your wheel; the polish adheres to the moving surface, hardens in a few seconds and is ready for use. 3) Because of its softer nature, a true, ripple-free surface is quickly obtained on all wheels. The best possible polished surface, free from ripples and bounce marks, is your assurance of a superior, professional refinishing job. Polish-O-Ray® does this for you. 4) Polish-O-Ray® has been used by gunsmiths, metal finishers, and aircraft manufacturers since the early 1940's. Wherever a quality surface, free from chatter marks, scratch marks and imperfections is required, the use of Polish-O-Ray® is a MUST. One precision manufacturer in the southeast orders by the keg. And, where else but on a gun does a perfect finish draw more praise and admiration? These beautiful finishes are the reason for Polish-O-Ray®'s continuing popularity among our country's gunsmiths and serious hobbyists. By following the "Master Metal Polisher's" technique, it is possible to obtain a top quality finishing job in a minimum of time with P-O-R®. Complete instructions are in our Bluing Instruction Booklet (#076-200-135) and the book Gunsmith Kinks™. It consists; mainly, of starting with the coarsest grit and polishing the surface in one direction; then, with the next finer grit on a different wheel polishing at 45° angles to the first "pass". By following this procedure down through the finer grit numbers, the final surface is unequaled for quality and perfection. Polish-O-Ray® is shipped in a resealable outer bag. Put the tube back in the bag, seal with a twist tie and ALWAYS store all your Polish-O-Ray® - brand new or partially used - in the refrigerator for longest life.



## Attributes

- Name: [140 GRIT POLISH-O-RAY](#)
- Manufacturer: [BROWNEllS](#)
- Product no.: 080505140
- Mfr. No.:
- Delivery weight: 1.338kg
- Shipping height: 71mm
- Shipping width: 69mm
- Shipping length: 236mm
- UPC: 050806105317

## Item details

Made in USA

# Table of Contents

- Startpage
- POLISHORAY® 140 GRIT POLISHORAY Safety Instructions
- About Us

# POLISHORAY® 140 GRIT POLISHORAY Safety Instructions

## Introduction

Thank you for choosing POLISHORAY® 140 GRIT POLISHORAY. This product is designed for polishing various surfaces, providing a professional finish. To ensure safe and effective use, please follow the safety instructions outlined in this guide.

## General Safety Guidelines

- Always read the product label and safety instructions before use.
- Ensure the product is used in a wellventilated area to avoid inhalation of dust.
- Keep the product out of reach of children and pets.
- Do not use the product for any purpose other than its intended use.
- In case of skin contact, wash the affected area with soap and water.

## Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including:
  - Safety goggles to protect your eyes from dust and splashes.
  - Dust mask or respirator to avoid inhaling particles.
  - Gloves to protect your skin from potential irritation.
- Avoid using the product near open flames or high heat sources.
- Do not eat, drink, or smoke while using the product to prevent ingestion of harmful substances.
- If you experience any adverse reactions, discontinue use immediately and seek medical advice.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the surface to be polished is clean and free of debris.
- Gather all necessary equipment, including polishing wheels and PPE.

### 2. Application:

- Open the POLISHORAY® tube by removing the cap.
- Position the open end of the tube against the polishing wheel.
- Press gently to apply the polish onto the moving wheel.
- Allow the polish to adhere and harden for a few seconds before use.

### 3. Polishing Technique:

- Start with the coarsest grit to prepare the surface.
- Polish in one direction with the first grit.
- Switch to a finer grit and polish at a 45° angle to the initial pass.

### 4. PostUse:

- After polishing, clean the polishing wheel and surrounding area to remove any residue.
- Store remaining POLISHORAY® in its resealable outer bag.
- Seal the bag with a twist tie and store in the refrigerator for maximum shelf life.

## **Disposal Instructions**

- Dispose of any unused product and packaging in accordance with local regulations.
- Do not dispose of the product in household waste. Check for local recycling programs.

## **Contact Information for Further Support**

For further information or safety inquiries, please refer to the packaging or your point of purchase. Always ensure that you are following the latest safety guidelines provided by the manufacturer.

By following these safety instructions, you can ensure a safe and effective polishing experience with POLISHORAY® 140 GRIT POLISHORAY. Thank you for your attention to safety!

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)