

UNPLATED STEEL FLAT HEAD WOOD SCREW KIT - 4X1/2" STEEL FLAT HEAD WOOD SCREWS BLUED 12 PACK

[Gunsmith Tools & Supplies](#) > [Small Hardware](#) > [Wood Screws](#)

Can Be Browned, Blued Or Plated To Fit The Job

Just the ticket when you need to brown or blue a wood screw - no plating to grind off. In a handy, clear, bench box. U.S. made with 82° shoulder to fit standard countersinks.



Attributes

- Name: [4X1/2" STEEL FLAT HEAD WOOD SCREWS BLUED 12 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080550450
- Mfr. No.: W05-924-484
- Size: 4
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806015449

Table of Contents

- Startpage
- Safety Instruction Guide for UNPLATED STEEL FLAT HEAD WOOD SCREW KIT
- About Us

Safety Instruction Guide for UNPLATED STEEL FLAT HEAD WOOD SCREW KIT

Introduction

Thank you for choosing the UNPLATED STEEL FLAT HEAD WOOD SCREW KIT. This product is designed for safe and effective use in woodworking projects. Please read this safety instruction guide carefully to ensure proper handling and usage, in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used for its intended purpose only.
- Store the screws in a dry, cool place away from children and pets.
- Regularly inspect the screws for any signs of damage or wear before use.
- Dispose of any damaged screws properly to avoid potential hazards.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling screws.
- Keep fingers and hands clear of the screw tip when driving screws into wood.
- Use a suitable screwdriver or drill that matches the size and type of the screws.
- Do not overtighten screws as this may cause the wood to split or the screw to break.
- Keep the work area clean and organized to prevent accidents.

Instructions for Installation and Usage

1. Preparation:

- Select the appropriate screw size for your project.
- Ensure the wood surface is clean and dry.

2. Drilling Pilot Holes:

- For optimal results, drill pilot holes slightly smaller than the screw diameter to prevent wood splitting.
- Use a countersink bit if a flush finish is required.

3. Driving Screws:

- Place the screw tip into the pilot hole.
- Using a screwdriver or drill, drive the screw into the wood until it is flush with the surface.
- Avoid applying excessive force.

4. Finishing:

- Once all screws are installed, check each one to ensure they are secure but not overtightened.
- Clean the work area of any debris or leftover materials.

Disposal Instructions

- Dispose of any unused screws and packaging materials in accordance with local waste disposal regulations.

- Do not dispose of screws in a manner that may pose a hazard to the environment or public safety.

Contact Information for Further Support

For any inquiries regarding the safety or usage of this product, please contact the manufacturer or your local EU contact point for further assistance.

Note: This guide is intended to provide essential safety information and does not cover every possible scenario. Always use common sense and caution when using tools and hardware. Report any unsafe products or incidents to the appropriate authorities and check for recall updates on the EU's Safety Gate platform.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at