

UNPLATED STEEL FLAT HEAD WOOD SCREW KIT - 8X5/8" STEEL FLAT HEAD WOOD SCREWS BLUED 12 PACK

[Gunsmith Tools & Supplies](#) > [Small Hardware](#) > [Wood Screws](#)

Can Be Browned, Blued Or Plated To Fit The Job

Just the ticket when you need to brown or blue a wood screw - no plating to grind off. In a handy, clear, bench box. U.S. made with 82° shoulder to fit standard countersinks.



Attributes

- Name: [8X5/8" STEEL FLAT HEAD WOOD SCREWS BLUED 12 PACK](#)
- Manufacturer: [BROWNLELS](#)
- Product no.: 080550862
- Mfr. No.:
- Size: 8
- Delivery weight: 0.018kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806015531

Table of Contents

- Startpage
- UNPLATED STEEL FLAT HEAD WOOD SCREW KIT Safety Instruction Guide
- About Us

UNPLATED STEEL FLAT HEAD WOOD SCREW KIT

Safety Instruction Guide

Introduction

Thank you for choosing the Unplated Steel Flat Head Wood Screw Kit. This guide provides important safety instructions to ensure safe and effective use of the product. Please read this guide carefully before using the screws.

General Safety Guidelines

- Ensure that all screws are stored out of reach of children.
- Inspect screws before use for any signs of damage or defects.
- Use screws only for their intended purpose as specified in this guide.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling screws.
- Keep the work area clean and welllit to avoid accidents.
- Follow local regulations for disposal of materials.

Specific Safety Precautions for Use

- Be cautious of sharp edges when handling screws.
- Do not use screws that show signs of rust or corrosion.
- Avoid overtightening screws, as this may damage the material being fastened.
- Ensure the correct size of screw is used for the intended application to prevent breakage.
- If screws are used with power tools, follow the manufacturer's instructions for safe operation.

Instructions for Installation and Usage

1. Preparation:

- Identify the type of material you will be working with (wood, etc.).
- Select the appropriate size of screw from the kit based on the thickness of the material.

2. PreDrilling:

- For harder materials, predrill a pilot hole to prevent splitting. The pilot hole should be slightly smaller than the screw diameter.

3. Screw Installation:

- Align the screw with the predrilled hole.
- Use a screwdriver or power tool to drive the screw into the material.
- Ensure the screw is seated flush with the surface to prevent any protrusion.

4. PostInstallation:

- Check that the screw is secure and that there are no loose parts.
- Clean up any debris or leftover materials from the installation area.

Disposal Instructions

- Dispose of any unused screws or packaging in accordance with local waste management regulations.

- Do not dispose of screws in recycling bins unless specified by local guidelines.

Contact Information for Further Support

For any safety inquiries or concerns regarding this product, please consult the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Your safety is our priority!

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at