

SHOTGUN BARREL POLISHING FLEX HONE® - 16 GAUGE FINE FLEX HONE, CHAMBER

[Gunsmith Tools & Supplies](#) > [Shotgun Tools](#) > [Barrel Hones & Accessories](#)

Puts Finish Polish On Shotgun Bores That Is Truly Outstanding

Hundreds of abrasive "balls" mounted on a flexible shaft - the fastest, easiest way we've come across to clean and polish older barrels or put a mirror polish in new ones. For used barrels, the Medium-Coarse hone, followed by the Fine, removes rough and tight spots and brings the bore to a bright finish that you can see and feel . . . just run a patch through it before and after; the difference is amazing! We found too, that we could feel tight spots during honing and spend extra time on them until they were evened out. On new barrels, the Fine hone by itself will bring the factory finish up to a beautiful, mirror-bright finish that's a real customer pleaser. Easy to use: chuck in a variable speed electric drill; wet the hone with Flex Hone® oil; start the drill and insert the hone into the barrel from the breech end (if possible). As it cuts, a slurry of abrasive and oil develops to help speed the cutting action. Flex Hone® available (shown below) in sets and individual hones for 10, 12, 16 and 20 gauge barrels as well as .410 bore. Also, special-sized hones for 10, 12, 16, 20 gauge chambers and .410 bore. Instructions walk you through the steps for a perfect job. (You MUST use Flex Hone® oil - all other oils will destroy the abrasive "balls" and void our guarantee!) 750 RPM MAX. Avoid excess pressure. View Flex-Hone PDF Here



Attributes

- Name: [16 GAUGE FINE FLEX HONE, CHAMBER](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080608516
- Mfr. No.:
- Gauge: 16 Gauge
- Make: Universal Shotguns
- Model Number: 16GA Medium
- Delivery weight: 0.045kg
- Shipping height: 18mm
- Shipping width: 20mm
- Shipping length: 307mm
- UPC: 050806019270

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [SHOTGUN BARREL POLISHING FLEX HONE® Safety Instruction Guide](#)
- [About Us](#)

SHOTGUN BARREL POLISHING FLEX HONE®

Safety Instruction Guide

Introduction

Thank you for choosing the SHOTGUN BARREL POLISHING FLEX HONE® 16 GAUGE FINE FLEX HONE, CHAMBER. This product is designed to efficiently clean and polish shotgun barrels. To ensure safe and effective use, please read the following safety instructions carefully.

General Safety Guidelines

- **Product Safety:**
 - This product is intended for use on shotgun barrels and chambers only.
 - Ensure that the product is used in accordance with the guidelines provided.
- **Enhanced Recalls:**
 - Stay informed about any product recalls through official channels.
- **Online Shopping:**
 - Ensure that you purchase this product from authorized retailers to guarantee safety and compliance.
- **Special Consumer Focus:**
 - Keep this product out of reach of children and vulnerable individuals.
- **EU Contact Point:**
 - For any safety inquiries, refer to the contact information provided by the retailer.
- **Rapid Alerts:**
 - Check the EU's Safety Gate platform for updates on product safety.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) such as safety goggles and gloves when using the Flex Hone.
- Avoid using excessive pressure during operation to prevent damage to the barrel and the hone.
- Ensure the drill is set to a maximum speed of 750 RPM to avoid overheating and damage.
- Use only Flex Hone® oil with the hone; other oils may damage the abrasive "balls" and void the warranty.
- Use the product in a wellventilated area to avoid inhaling any dust or particles.
- Do not use the hone on barrels that are not designed for it, as this may cause injury or damage.

Instructions for Installation and Usage

1. Preparation:

- Ensure the shotgun is unloaded and safe to work on.
- Clean the barrel to remove any loose debris before using the Flex Hone.

2. Setup:

- Insert the Flex Hone into the chuck of a variable speed electric drill.
- Apply a small amount of Flex Hone® oil to the hone.

3. Operation:

- Start the drill at a low speed (up to 750 RPM).
- Insert the hone into the barrel from the breech end, if possible.
- Allow the hone to cut while maintaining a steady motion; do not apply excessive pressure.

- Periodically withdraw the hone to check the progress and clean it if necessary.
- Run a patch through the barrel before and after honing to assess the results.

4. Finishing:

- After use, clean the hone and store it in a safe place.

Disposal Instructions

- Dispose of used Flex Hone® oil and any wornout hones in accordance with local regulations.
- Do not dispose of the product in household waste. Check for local recycling programs or hazardous waste disposal options.

Contact Information for Further Support

For any questions or concerns regarding the SHOTGUN BARREL POLISHING FLEX HONE®, please refer to the retailer's contact information or visit their website for support.

Thank you for following these safety instructions. Your adherence to these guidelines will ensure a safe and effective experience with your SHOTGUN BARREL POLISHING FLEX HONE®.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at