

.146x48 OVERSIZE 6-48 SCREW SHOP KIT - BROWNELLS OVERSIZE WEAVER .146" -48 SCREWS 12 PACK

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Replacement Sight Screws](#)

Saves Your "Tail Feathers" If A Hole Gets Stripped

Slightly larger in diameter than the common 6-48 scope base mounting screw. Most holes "ruined" while drilling or tapping can be fixed; just retap to .146"-48 and install. No need to redrill base or gun. Thanks to Doug Knowt for his tip. [Click Here for taps.](#)



Attributes

- Name: [BROWNELLS OVERSIZE WEAVER .146" -48 SCREWS 12 PACK](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080719212
- Mfr. No.: W05-719-212
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806018518

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for .146x48 Oversize 648 Screw Shop Kit](#)
- [About Us](#)

Safety Instruction Guide for .146x48 Oversize 648 Screw Shop Kit

Introduction

Thank you for choosing the .146x48 Oversize 648 Screw Shop Kit by Brownells. This guide provides essential safety instructions and usage guidelines to ensure a safe and effective experience with the product. Please read this document carefully before using the kit.

General Safety Guidelines

- Ensure that the product is used only as intended and in accordance with the instructions provided.
- Keep the kit out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage to the screws and tools included in the kit.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling tools and screws.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- When drilling or tapping, ensure that the workpiece is securely clamped to prevent movement.
- Avoid applying excessive force when retapping to .146"48 to prevent damage to the workpiece.
- Use the correct tap and tools provided in the kit to ensure safe and effective installation.
- Do not attempt to use the screws for any purpose other than intended scope base mounting.
- Be cautious of sharp edges and points on screws and tools to avoid injury.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including the provided taper tap, bottom tap, and Screw Gizzie.
- Ensure that the work area is clean and welllit.

2. Retapping Holes

- Identify the holes that require retapping.
- Insert the taper tap into the hole and turn slowly to create new threads. Ensure that the tap is perpendicular to the workpiece.
- Once the taper tap has created sufficient threads, switch to the bottom tap to finish the threading process.

3. Installing Screws

- Select the appropriate size and style of screw for your scope base.
- Align the screw with the tapped hole and insert it gently.
- Use a screwdriver to tighten the screw, ensuring it is secure but not overtightened.

4. PostInstallation Check

- After installation, check that all screws are properly tightened and that there are no loose components.
- Inspect the installation for any signs of misalignment or damage.

Disposal Instructions

- Dispose of any unused or damaged screws and tools in accordance with local regulations.
- Do not dispose of screws and tools in general waste; consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the safety and usage of the .146x48 Oversize 648 Screw Shop Kit, please refer to the manufacturer's contact details provided on the packaging or visit the manufacturer's website for more information.

By following these safety instructions, you can ensure a safe and effective experience with your .146x48 Oversize 648 Screw Shop Kit. Thank you for prioritizing safety while using our products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk