

BROWNELL'S CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE - BROWNELLS CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE STEEL

[Gunsmith Tools](#) > [Measuring Tools](#) > [Firing Pin Protrusion Gauges](#)

Accurately Records Critical Firing Pin Protrusion On Both Centerfire & Rimfire Bolt

BROWNELL'S CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE The Brownells Centerfire/Rimfire Firing Pin Protrusion Gauge provides gunsmiths and firearm enthusiasts with the precision needed to measure firing pin protrusion in centerfire and rimfire firearms. By ensuring that firing pins meet exact specifications, this tool helps prevent misfires, maintains reliable ignition, and ensures the safe operation of firearms. It is ideal for diagnosing ignition issues, verifying firing pin wear, and ensuring compliance with manufacturer standards during firearm repairs or modifications. Key Features: Dual Compatibility: Designed for use with both centerfire and rimfire firearms, making it versatile for a variety of firearm platforms. Elliptical Plunger Design: Delivers highly accurate measurements to within 0.0001 inches, essential for fine-tuning firing pins and ensuring safety. Efficient Operation: Features a simple mechanism that locks in measurements quickly, allowing for consistent and reliable readings. Specifications: Dimensions: 0.5 inches (12.7 mm) diameter; 0.9 inches (23 mm) length Material: Hardened steel plunger for lasting durability and precision Customer Insights: Customers praise the Brownells Centerfire/Rimfire Firing Pin Protrusion Gauge for its accuracy and durability. Many have highlighted its ability to simplify the process of checking firing pin protrusion across different firearm types, ensuring proper performance and reliability. The robust design and clear operation make it a trusted tool for regular maintenance and troubleshooting firing issues. The Brownells Centerfire/Rimfire Firing Pin Protrusion Gauge is an invaluable tool for gunsmiths and hobbyists who need to ensure firing pins meet critical safety and performance standards across a wide range of firearms.



Attributes

- Name: [BROWNELLS CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE STEEL](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080782000
- Mfr. No.:
- Colour: Steel
- Height: 0.5"
- Length: 0.9"
- Material: Steel
- Model Number: Centerfire/Rimfire Firing Pin
- Weight: 0.1 lbs
- Width: 0.5"
- Delivery weight: 0.027kg
- Shipping height: 5mm
- Shipping width: 76mm
- Shipping length: 135mm
- UPC: 050806104709

Item details

Made in USA

Table of Contents

- Startpage
- CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE USER MANUAL
- About Us

CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE USER MANUAL

Introduction

Thank you for choosing the CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE from BROWNELLS. This precision tool is designed to ensure correct firing pin protrusion, which is critical for the ignition sequence of both rimfire and centerfire firearms. Please read this manual carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always handle this gauge with care, as it is a precision instrument.
- Ensure that the gauge is used in a safe environment, free from distractions.
- Keep the gauge out of reach of children and unauthorized individuals.
- Regularly inspect the gauge for any signs of damage or wear before use.
- Report any unsafe conditions or accidents to local authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded and pointed in a safe direction before using the gauge.
- Do not use the gauge if it appears damaged or if any parts are missing.
- Avoid direct contact with the measuring plunger face to maintain accuracy.
- Do not exceed the recommended measurement limits of .0001" to avoid damage to the gauge.
- Always follow the manufacturer's instructions for use and maintenance.

Instructions for Installation and Usage

1. Unlock the Plunger:

- Locate the locking mechanism on the plunger and unlock it.

2. Position the Gauge:

- Carefully place the gauge over the protruding firing pin of the firearm.

3. Lock the Plunger:

- Once the gauge is in place, lock the plunger to secure it in position.

4. Lift the Gauge:

- Gently lift the gauge from the bolt to avoid damaging the pin.

5. Measure Overall Length:

- Use a micrometer to measure the overall length of the gauge, including the body and plunger.

6. Calculate Pin Protrusion:

- Determine the difference between the original length and the miked overall length. This difference represents the amount of pin protrusion.

Disposal Instructions

- Dispose of the gauge in accordance with local regulations.
- If the gauge is damaged beyond repair, ensure it is disposed of safely to prevent any injury or environmental harm.

Contact Information for Further Support

For any inquiries or support regarding the CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE, please refer to the manufacturer's contact details provided on the packaging or the product's official website.

By following these guidelines and instructions, you can ensure the safe and effective use of your CENTERFIRE/RIMFIRE FIRING PIN PROTRUSION GAUGE. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk