

STUCK CASE PULLER COLLET ONLY FITS: .308, .30-06, ETC.

[Gunsmith Tools & Supplies](#) > [Handgun Tools](#) > [Stuck Case Removers](#)

Remove Stuck Cases Without Fear Of Accidental Ignition

Works when other pullers fail, even if the case rim is partially sheared away. Sturdy, steel collets tightly grip around the entire circumference of the case rim. Slide hammer uses straight-back inertia to safely remove stubborn, stuck cases. Will not fit AR-15 and requires a .700 bolt diameter or larger to work.



Attributes

- Name: [STUCK CASE PULLER COLLET ONLY FITS: .308, .30-06, ETC.](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 080881308
- Mfr. No.:
- Caliber: 30 Caliber (.308)
- Make: Universal Rifles
- Delivery weight: 0.023kg
- Shipping height: 20mm
- Shipping width: 74mm
- Shipping length: 150mm
- UPC: 050806026803

Item details

Made in USA

Table of Contents

- Startpage
- STUCK CASE PULLER SAFETY INSTRUCTIONS
- About Us

STUCK CASE PULLER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Stuck Case Puller. This tool is designed to effectively remove stubborn, stuck cases from firearms. It is important to follow the safety instructions outlined in this guide to ensure safe and effective use of the product.

General Safety Guidelines

- Always read and understand the safety instructions before using the Stuck Case Puller.
- Ensure that the tool is used in a wellventilated area and away from flammable materials.
- Keep the tool out of reach of children and unauthorized users.
- Wear appropriate personal protective equipment (PPE), including safety glasses, to protect against debris.
- Regularly inspect the tool for any signs of damage or wear before use.
- If the tool is damaged or malfunctioning, do not attempt to repair it. Contact a qualified technician for assistance.

Specific Safety Precautions for Use

- Do not use the Stuck Case Puller with cases that are not compatible, such as AR15 cases or those with a bolt diameter smaller than .700 inches.
- Ensure that the firearm is unloaded and pointed in a safe direction before using the tool.
- Do not exceed the recommended weight limit of 4 lbs (1.8 kg) when using the slide hammer.
- Avoid using excessive force when pulling cases to prevent tool damage or personal injury.
- Always follow the manufacturer's instructions for proper usage and maintenance of the tool.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and in a safe position.
- Select the appropriate collet for the case size you are working with.

2. Installation:

- Attach the selected collet to the slide hammer securely.
- Verify that the collet is properly fitted to ensure a tight grip on the case rim.

3. Usage:

- Position the collet over the stuck case, ensuring it grips the entire circumference of the case rim.
- Use the slide hammer with a straightback motion to apply inertia and remove the stuck case.
- Repeat the process if necessary, ensuring that the collet remains securely attached to the case.

4. PostUsage:

- Once the case is removed, inspect the tool for any signs of wear or damage.
- Clean the tool after use and store it in a safe location.

Disposal Instructions

- Dispose of the Stuck Case Puller in accordance with local regulations.

- If the tool is damaged beyond repair, ensure that it is disposed of in a manner that prevents unauthorized use.

Contact Information for Further Support

For safety inquiries or further assistance regarding the Stuck Case Puller, please refer to the manufacturer's website or contact your local distributor.

By following these safety instructions, you can ensure a safe and effective experience with the Stuck Case Puller. Always prioritize safety and proper usage to maximize the tool's effectiveness.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at