

FRONT SIGHT PIGMENT - BROWNELLS FRONT SIGHT PIGMENT GREEN .05OZ

[Gunsmith Tools](#) > [Sight & Scope Installation Tools](#) > [Sight Insert Kits](#)

FRONT SIGHT PIGMENT

Green Pigment, .05 oz.



Attributes

- Name: [BROWNELLS FRONT SIGHT PIGMENT GREEN .05OZ](#)
- Manufacturer: [BROWNELLS](#)
- Product no.: 081000374
- Mfr. No.:
- Color: -
- Delivery weight: 0.007kg
- Shipping height: 1mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 050806107540

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [FRONT SIGHT PIGMENT SAFETY INSTRUCTIONS](#)
- [About Us](#)

FRONT SIGHT PIGMENT SAFETY INSTRUCTIONS

Introduction

Thank you for purchasing the FRONT SIGHT PIGMENT by BROWNELLS. This product is designed to enhance your sight visibility and accuracy. It is important to use this product safely and correctly. This guide provides essential safety instructions and usage guidelines in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Always read the instructions carefully before use.
- Inspect the product for any damage before use. Do not use if damaged.
- Report any unsafe product experiences to the relevant authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Avoid contact with eyes and skin. In case of contact, rinse thoroughly with water.
- Do not ingest the product. It is not food and can be harmful if swallowed.
- Use in a wellventilated area to avoid inhaling fumes.
- Store the product in a cool, dry place, away from direct sunlight.
- Ensure that the cap is securely closed when not in use to prevent drying out.

Instructions for Installation and Usage

1. Preparation:

- Ensure the surface to be applied is clean and dry.
- Shake the pigment bottle gently before use to mix the contents.

2. Application:

- Open the bottle carefully.
- Use a fine brush or applicator to apply the pigment to the desired area on the sight.
- Apply in thin layers for best results, allowing each layer to dry before applying another.

3. Drying:

- Allow the pigment to dry completely before using the sight. This may take several hours depending on environmental conditions.

4. Cleanup:

- Clean any tools used for application with water immediately after use.
- Dispose of any excess pigment according to local waste disposal regulations.

Disposal Instructions

- Dispose of the product and its packaging in accordance with local regulations.
- Do not dispose of the product in household waste. Check for specific disposal instructions for hazardous materials.

Contact Information for Further Support

For any safety inquiries or additional support related to the FRONT SIGHT PIGMENT, please refer to the manufacturer's contact details provided on the product packaging or visit the official website.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priority. Enjoy using your FRONT SIGHT PIGMENT!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk