

AR-15 FLIP-UP FRONT SIGHT - 1.34" FLIP-UP FRONT SIGHT ALUMINUM BLACK

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Rugged, flip-up sights provide failsafe backup when your primary optic or red dot sight fails. Sight body flips up easily when you need it and locks securely in place under powerful spring pressure and two locking detent balls, so it can't be accidentally bumped down until you hit the spring-loaded button on the left side of the base to retract it. Positions apertures at the same height as factory sights, simplifying integration of these sights on your rifle. Base clamps securely to any military or commercial Picatinny rail using a standard flathead screwdriver. No protruding knobs or levers to catch on brush, clothing, or other equipment. Sturdy, protective "ears" shield posts and apertures from impact. Front sights clamp to handguard accessory rail on the same plane as flattop and are only ½" high when folded. All models have M4-type post that's elevation adjustable in ½ MOA increments.



Attributes

- Name: [1.34" FLIP-UP FRONT SIGHT ALUMINUM BLACK](#)
- Manufacturer: [TROY INDUSTRIES](#)
- Product no.: 100003446
- Mfr. No.: SSIG-FBS-FMBT-00
- Color: Black
- Height: 1.34
- Make: AR-15
- Material: Aluminum
- Style: Flip-Up
- Delivery weight: 0.068kg
- Shipping height: 25mm
- Shipping width: 142mm
- Shipping length: 201mm
- UPC: 812699010686

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 FlipUp Front Sight](#)
- [About Us](#)

Safety Instruction Guide for AR15 FlipUp Front Sight

Introduction

Thank you for choosing the AR15 FlipUp Front Sight. This product is designed to enhance your shooting experience by providing reliable backup sights. In order to ensure your safety and the safety of others, please read this safety instruction guide carefully before using the product.

General Safety Guidelines

- Always treat any firearm as if it is loaded.
- Ensure that you are familiar with the operation of the AR15 and its components.
- Use the flipup front sight only for its intended purpose.
- Keep the sight and your firearm clean and wellmaintained.
- Store the sight and firearm in a secure location, away from children and unauthorized users.
- Regularly check for any signs of wear or damage to the sight before use.
- Follow all local laws and regulations regarding firearms and accessories.

Specific Safety Precautions for Use

- Ensure that the sight is properly secured to the Picatinny rail before use.
- Do not attempt to adjust or flip up the sight while aiming or firing.
- Always be aware of your surroundings and ensure that the shooting area is clear of people and obstacles.
- Avoid using the sight in adverse weather conditions that may impair visibility.
- If the sight does not function as intended, stop using it immediately and consult a qualified gunsmith or contact the manufacturer for assistance.

Instructions for Installation and Usage

Installation

1. **Locate the Picatinny Rail:** Identify the appropriate location on your AR15 where the sight will be mounted.
2. **Align the Base:** Position the sight base over the desired section of the rail.
3. **Secure the Sight:**
 - Use a standard flathead screwdriver to tighten the screws on the sight base.
 - Ensure that the sight is firmly attached and does not move when pulled.
4. **Test the FlipUp Mechanism:** Gently push the sight upward to ensure it locks in place securely.
5. **Check Alignment:** Ensure that the sight is aligned with your primary optic or red dot sight.

Usage

1. **Flipping Up the Sight:** When you need to use the sight, press the springloaded button located on the left side of the base and flip the sight up.
2. **Locking the Sight:** Ensure that the sight is locked in place before aiming or firing.
3. **Adjusting Elevation:** Use the M4type post to adjust elevation in ½ MOA increments as needed.
4. **Folding Down the Sight:** To retract the sight, press the springloaded button again and gently push the sight down until it locks in place.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.

- Do not dispose of the product in regular household waste.
- Consider recycling the aluminum and steel components where facilities are available.

Contact Information for Further Support

For any questions or concerns regarding the AR15 FlipUp Front Sight, please refer to the manufacturer's contact information included with your product packaging.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 FlipUp Front Sight. Remember to always prioritize safety and responsibility when handling firearms and their accessories. Thank you for your attention to these important guidelines.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at