

P-3AT FACTORY MAGAZINES - KEL-TEC P3AT 9-RD MAGAZINE

[Magazines](#) > [Handgun Magazines](#) > [Magazines](#)

Factory 6-rd magazine for the P-3AT. Factory 9-rd magazine for the P-3AT.



Attributes

- Name: [KEL-TEC P3AT 9-RD MAGAZINE](#)
- Manufacturer: [KEL-TEC](#)
- Product no.: 100017008
- Mfr. No.: P3AT-37
- Capacity: 9-Round
- Cartridge: 380 Auto (ACP)
- Finish: Black
- Material: Steel
- Model: P3AT
- Weapon type: Kel-Tec
- Delivery weight: 0.052kg
- Shipping height: 25mm
- Shipping width: 44mm
- Shipping length: 127mm
- UPC: 640832002034

Item details

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for P3AT Factory Magazines
- About Us

Safety Instruction Guide for P3AT Factory Magazines

Introduction

Thank you for choosing the P3AT Factory Magazines by KELTEC. This guide provides essential safety instructions to ensure the safe and effective use of your magazine. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that all users are familiar with firearm safety principles.
- Always handle magazines and firearms with care.
- Store magazines in a secure location, away from children and unauthorized users.
- Regularly inspect magazines for signs of wear or damage.
- Do not use magazines that are damaged or malfunctioning.
- Follow all local laws and regulations regarding the use and storage of firearms and ammunition.

Specific Safety Precautions for Use

- Only use the P3AT Factory Magazines with compatible firearms.
- Ensure that the magazine is fully seated in the firearm before use.
- Do not attempt to modify or disassemble the magazine.
- Always keep the firearm pointed in a safe direction when loading or unloading.
- Avoid overloading the magazine beyond its specified capacity.
- Be aware of your surroundings and ensure a clear and safe area when using firearms.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Align the magazine with the magazine well of the firearm.
- Push the magazine firmly into the magazine well until it clicks into place.

2. Usage

- Load the magazine with the appropriate ammunition (380 Auto).
- Ensure that the magazine is seated properly in the firearm.
- To remove the magazine, press the magazine release button and pull the magazine out of the magazine well.

3. Unloading

- Point the firearm in a safe direction.
- Remove the magazine by pressing the magazine release button.
- Check the chamber to ensure it is empty before storing or handling.

Disposal Instructions

- Dispose of magazines that are damaged or no longer in use in accordance with local regulations.
- Do not throw magazines in regular trash; check for recycling options or hazardous waste disposal methods in your area.

Contact Information for Further Support

For any questions or concerns regarding the P3AT Factory Magazines, please refer to the contact information provided by the retailer or manufacturer. It is important to have a reliable contact for safety inquiries.

Conclusion

Your safety and satisfaction are our top priorities. By following these guidelines, you can ensure the safe use of your P3AT Factory Magazines. Always stay informed about product recalls and safety updates through reliable sources. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk