

AR-15 ASR MUZZLE BRAKE 450 BUSHMASTER 3/4-24 - ASR Muzzle Brake 450 Bushmaster 3/4-24 Black

Use As Suppressor Mount or Powerful Recoil Reduction Device

Available exclusively from Brownells, the SilencerCo ASR Muzzle Brake for .450 Bushmaster sets you up to enjoy all the benefits of running your big bore AR-15 suppressed. This version of the proven ASR brake makes it easy to mount a SilencerCo Hybrid 46 sound suppressor on a .450 Bushmaster rifle. When used alone, the .450 Bushmaster ASR redirects combustion gases through three ports to take the bite out of felt recoil and tame muzzle rise. Helps you stay on the target for fast follow-up shots and a more comfortable overall shooting experience. And it also serves as a quick attach/detach mount for your Hybrid 46 silencer. Enables one-handed attach/detach of suppressor Fits muzzles with ¾"-24 tpi threads Machined steel, durable black oxide finish Either way you use it, the SilencerCo ASR muzzle brake gives a bit improvement in how comfortable your .450 Bushmaster AR-15 is to shoot. And remember: the ONLY place you can get it is right here, at Brownells!



Attributes

- Name: ASR Muzzle Brake 450 Bushmaster 3/4-24 Black
- Manufacturer: SILENCERCO
- Product no.: 100027274
- Mfr. No.: AC2631
- Caliber: 450 Bushmaster (.450)
- Finish: Black
- Make: AR-15
- Material: Steel
- Threads: 3/4-24
- Delivery weight: 0.1kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 102mm
- UPC: 816413025369

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: Safety Instruction Guide for AR15 ASR Muzzle Brake 450 Bushmaster](#)
- [Český: Návod k bezpečnému používání produktu: SilencerCo ASR Muzzle Brake 450 Bushmaster](#)

Safety Instruction Guide for AR15 ASR Muzzle Brake 450 Bushmaster

Introduction

Thank you for choosing the SilencerCo ASR Muzzle Brake for your .450 Bushmaster AR15. This product is designed to enhance your shooting experience by reducing recoil and muzzle rise. It is important to read this safety instruction guide carefully to ensure safe and effective use of the muzzle brake.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or removing the muzzle brake.
- Use the muzzle brake only with firearms that are compatible with the .450 Bushmaster caliber.
- Keep the muzzle brake and all firearm accessories out of reach of children and unauthorized users.
- Regularly inspect the muzzle brake for any signs of wear or damage before use.
- Follow all local laws and regulations regarding the use and modification of firearms.

Specific Safety Precautions for Use

- Ensure that the muzzle brake is properly attached before firing the firearm.
- Do not operate the firearm with a damaged or improperly installed muzzle brake.
- Be aware of your surroundings and ensure that you are in a safe location when firing your firearm.
- Use appropriate hearing and eye protection when shooting.
- Avoid using the muzzle brake in adverse weather conditions that may affect its performance.

Instructions for Installation and Usage

Installation

1. Prepare Your Firearm

- Ensure that your firearm is unloaded and pointed in a safe direction.
- Remove any existing muzzle device if applicable.

2. Attach the Muzzle Brake

- Align the muzzle brake with the muzzle of your .450 Bushmaster rifle.
- Screw the muzzle brake onto the barrel, ensuring that it is tightened securely.
- Confirm that the muzzle brake is aligned properly and that there are no gaps between the brake and the muzzle.

3. Check for Proper Fit

- Ensure that the muzzle brake is securely attached and does not wobble.
- Perform a visual inspection to confirm that the threads are properly engaged.

Usage

- Once installed, you can use the muzzle brake as a quick attach/detach mount for your SilencerCo Hybrid 46 sound suppressor.
- When firing, the muzzle brake will redirect combustion gases through three ports, reducing felt recoil and muzzle rise.
- Maintain a firm grip on the firearm to ensure stability during firing.

Disposal Instructions

- When disposing of the muzzle brake, follow local regulations regarding metal recycling and disposal of firearm accessories.
- If the muzzle brake is damaged or no longer usable, do not attempt to repair it; dispose of it responsibly.

Contact Information for Further Support

For any questions or concerns regarding the SilencerCo ASR Muzzle Brake, please refer to the manufacturer's contact information provided with the product packaging.

Conclusion

By following these safety guidelines and instructions, you can ensure a safe and enjoyable shooting experience with your SilencerCo ASR Muzzle Brake. Always prioritize safety and be aware of your surroundings while using firearms. Thank you for your attention to these important safety measures.

Návod k bezpečnému používání produktu: SilencerCo ASR Muzzle Brake 450 Bushmaster

Úvod

Děkujeme, že jste si zakoupili SilencerCo ASR Muzzle Brake 450 Bushmaster. Tento výrobek je navržen tak, aby zlepšil výkon vašeho AR15 a umožnil efektivní použití tlumiče. Abychom zajistili vaši bezpečnost a maximální spokojenost, prosíme, abyste si pečlivě přečetli následující pokyny.

Obecné bezpečnostní pokyny

- Před použitím výrobku si důkladně přečtěte všechny pokyny a varování.
- Ujistěte se, že máte odpovídající znalosti a dovednosti pro manipulaci se zbraněmi.
- Udržujte výrobek mimo dosah dětí a zranitelných osob.
- Při používání výrobku noste vždy ochranné brýle a sluchátka.
- Pravidelně kontrolujte výrobek na známky opotřebení nebo poškození.

Specifické bezpečnostní opatření pro použití

- Před instalací a použitím brzdícího zařízení se ujistěte, že je zbraň vybitá.
- Instalaci provádějte pouze na hlavě s $\frac{3}{4}$ "24 tpi závity.
- Při použití brzdícího zařízení se ujistěte, že je správně upevněno, aby nedošlo k uvolnění během střelby.
- Používejte pouze s tlumičem SilencerCo Hybrid 46, pokud je to doporučeno.
- Při střelbě dbejte na bezpečné a odpovědné chování.

Pokyny pro instalaci a použití

1. Příprava:

- Zkontrolujte, zda je zbraň vybitá.
- Ujistěte se, že máte potřebné nástroje pro instalaci.

2. Instalace:

- Na závit hlavě aplikujte vhodný mazací prostředek.
- Otočte ASR Muzzle Brake na závit hlavě, dokud nebude pevně usazen.
- Ujistěte se, že je brzdící zařízení správně zarovnáno.

3. Použití:

- Před střelbou zkontrolujte, zda je brzdící zařízení bezpečně připevněno.
- Střílejte pouze na určených střelnicích a dodržujte všechny místní zákony a předpisy.

Pokyny pro likvidaci

- Po skončení životnosti výrobku jej zlikvidujte v souladu s místními předpisy o odpadech.
- Nevyhazujte výrobek do běžného odpadu. Zjistěte, zda existují speciální programy pro recyklaci nebo likvidaci.

Kontakt pro další podporu

Pokud máte jakékoli dotazy nebo potřebujete další podporu, obraťte se na autorizovaného prodejce nebo výrobce. Všichni výrobci musí mít k dispozici kontaktní informace v rámci EU pro bezpečnostní dotazy.

Závěr

Dodržováním těchto pokynů zajistíte bezpečné a efektivní používání SilencerCo ASR Muzzle Brake 450 Bushmaster. Pamatujte, že vaše bezpečnost je na prvním místě. Děkujeme, že jste si vybrali náš produkt.

