

FRONT SIGHT BIT FOR GLOCK® - FIX IT STICKS FRONT SIGHT BIT FOR GLOCK®, STEEL

[Gunsmith Tools](#) > [Handgun Tools](#) > [Sight Tools](#)

Correct-Size Driver for Easy, Fast, Damage-Free Removal/Install of Sight

The Fix-It-Sticks Front Sight Tool for Glock® makes installing a replacement sight or removing the existing sight for maintenance, easy, fast, and painless - with zero chance of damaging sight or slide. The tool fits the small, hex-head screw that anchors the front sight to the slide. It can be used in any Fix-It Sticks driver, Brownells Magna-Tip® handle, or standard 1/4" hex bit driver. It's sized for a snug, non-slip fit to the screw so the screw can be removed cleanly, without rounding its points, or "burring" the flats. Machined from solid steel bar stock Black oxide finish Correct-size 3/16" thin-walled hex nut driver Magnet retains the screw so you don't lose it This front sight tool is designed for use on the front sights of Glock® pistols or any pistol sight that has the same-size 3/16" hex nut. An excellent add-on to the standard Fix-It Sticks T-handle tool kit (#100-018-238, sold separately).



Attributes

- Name: [FIX IT STICKS FRONT SIGHT BIT FOR GLOCK®, STEEL](#)
- Manufacturer: [FIX IT STICKS](#)
- Product no.: 100027822
- Mfr. No.: FISGL
- Weapon type: Glock
- Delivery weight: 0.022kg
- Shipping height: 70mm
- Shipping width: 64mm
- Shipping length: 70mm
- UPC: 898207002138

Table of Contents

- Startpage
- Safety Instruction Guide for FRONT SIGHT BIT FOR GLOCK® FIX IT STICKS
- About Us

Safety Instruction Guide for FRONT SIGHT BIT FOR GLOCK® FIX IT STICKS

Introduction

Thank you for choosing the FixItSticks Front Sight Bit for Glock®. This tool is designed to facilitate the installation and removal of front sights on Glock® pistols. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Ensure that the tool is used only for its intended purpose.
- Always handle the tool with care to prevent injury.
- Keep the tool out of reach of children and vulnerable individuals.
- Regularly inspect the tool for any signs of wear or damage before use.
- If you notice any damage, do not use the tool and contact the manufacturer for guidance.
- Be aware of your surroundings while using the tool to avoid accidents.

Specific Safety Precautions for Use

- Always wear appropriate protective eyewear when using the tool to prevent injury from small parts.
- Use the tool in a welllit area to ensure visibility of the work surface.
- Do not apply excessive force when using the tool; this may damage the screw or the sight.
- Ensure that the tool is properly fitted to the screw before attempting to turn it.
- Do not use the tool if you are unfamiliar with its operation; seek assistance if necessary.

Instructions for Installation and Usage

1. Preparation

- Ensure that your Glock® pistol is unloaded and safe to work on.
- Gather your FixItSticks driver, Brownells MagnaTip® handle, or standard 1/4" hex bit driver.

2. Removing the Existing Sight

- Insert the FixItSticks Front Sight Bit into your driver.
- Align the bit with the hexhead screw on the front sight.
- Turn the driver counterclockwise to loosen and remove the screw.
- Carefully lift the front sight off the slide.

3. Installing a Replacement Sight

- Position the new front sight onto the slide.
- Insert the screw into the hexhead hole on the front sight.
- With the FixItSticks Front Sight Bit still in your driver, turn the driver clockwise to tighten the screw.
- Ensure that the screw is snug, but do not overtighten.

4. Final Checks

- After installation, doublecheck that the sight is securely attached and properly aligned.
- Store the tool in a safe place, away from children and pets.

Disposal Instructions

- Dispose of the tool and any packaging materials in accordance with local waste disposal regulations.
- Do not dispose of the tool in general household waste if it is damaged or broken; check for recycling options.

Contact Information for Further Support

For any safety inquiries or further support regarding the FixItSticks Front Sight Bit for Glock®, please refer to the product packaging or visit the manufacturer's website for more information.

Thank you for taking the time to read this safety instruction guide. Your safety and the safe use of this product are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk