

# LOCK-N-LOAD PRIMER PICKUP TUBE - LARGE PRIMER PICK-UP TUBE 3/PACK

[Reloading](#) > [Priming Tools](#) > [Hand Tools](#)

Stocking your reloading bench with extra primer pick-up tubes will allow you to load more rounds without stopping to refill primers. Compatible with the Lock-N-Load® AP™ and Lock-N-Load® Iron Press™ Not compatible with 1911 Auto Primer Tube Filler



## Attributes

- Name: [LARGE PRIMER PICK-UP TUBE 3/PACK](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031839
- Mfr. No.: 398511
- Delivery weight: 0.127kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 406mm
- UPC: 090255985115

## Item details

Made in USA

# Table of Contents

- Startpage
- LOCKNLOAD PRIMER PICKUP TUBE LARGE PRIMER PICKUP TUBE 3/PACK Safety Instructions
- About Us

# LOCKNLOAD PRIMER PICKUP TUBE LARGE PRIMER PICKUP TUBE 3/PACK Safety Instructions

## Introduction

Thank you for choosing the LOCKNLOAD PRIMER PICKUP TUBE LARGE PRIMER PICKUP TUBE 3/PACK by HORNADY. This product is designed to enhance your reloading experience by allowing you to load more rounds efficiently. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Always use the product as intended and follow the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the primer pickup tubes are compatible only with the LockNLoad® AP™ and LockNLoad® Iron Press™.
- Do not attempt to use the primer pickup tubes with the 1911 Auto Primer Tube Filler.
- Avoid overfilling the tubes, as this may cause jams or malfunctions.
- Handle primers with care, following all safety protocols for reloading.
- Use protective eyewear when handling primers and during the reloading process.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure your reloading bench is clean and free of debris.
- Insert the primer pickup tube into the designated slot on the LockNLoad® AP™ or LockNLoad® Iron Press™.
- Secure the tube in place according to the manufacturer's instructions.

### 2. Usage:

- Load the primers into the pickup tube, ensuring they are seated properly.
- Check that the tube is securely attached before beginning the reloading process.
- Follow standard reloading procedures to ensure safe operation.
- If you encounter any issues, stop using the product immediately and consult the troubleshooting section of your reloading press manual.

## Disposal Instructions

- Dispose of any unused or damaged primer pickup tubes in accordance with local regulations.
- Do not throw the tubes in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

## Contact Information for Further Support

For any safety inquiries or assistance, please reach out to the manufacturer's customer support or refer to the

product documentation. Ensure you have the product details ready for any inquiries.

By following these safety instructions, you can ensure a safe and effective reloading experience with the LOCKNLOAD PRIMER PICKUP TUBE LARGE PRIMER PICKUP TUBE 3/PACK. Thank you for prioritizing safety and compliance with EU regulations.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)