

LOCK-N-LOAD PRIMER PICKUP TUBE - SMALL PRIMER PICK-UP TUBE 3/PACK

[Reloading](#) > [Priming Tools](#) > [Hand Tools](#)

Stocking your reloading bench with extra primer pick-up tubes will allow you to load more rounds without stopping to refill primers. Compatible with the Lock-N-Load® AP™ and Lock-N-Load® Iron Press™ Not compatible with 1911 Auto Primer Tube Filler

Attributes

- Name: [SMALL PRIMER PICK-UP TUBE 3/PACK](#)
- Manufacturer: [HORNADY](#)
- Product no.: 100031840
- Mfr. No.: 398509
- Delivery weight: 0.15kg
- Shipping height: 13mm
- Shipping width: 102mm
- Shipping length: 406mm
- UPC: 090255985092

Item details

Made in USA

Table of Contents

- Startpage
- LOCKNLOAD PRIMER PICKUP TUBE SMALL PRIMER PICKUP TUBE 3/PACK Safety Instruction Guide
- About Us

LOCKNLOAD PRIMER PICKUP TUBE SMALL PRIMER PICKUP TUBE 3/PACK Safety Instruction Guide

Introduction

Thank you for choosing the LOCKNLOAD PRIMER PICKUP TUBE SMALL PRIMER PICKUP TUBE 3/PACK. This product is designed to enhance your reloading experience by allowing you to load more rounds efficiently and safely. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about recalls or safety updates by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always use the primer pickup tube in accordance with the manufacturer's instructions.
- Do not attempt to modify or alter the product.
- Avoid using the product in wet or humid conditions.
- Use only compatible equipment as specified by the manufacturer.
- Store the product in a cool, dry place when not in use.
- Wear appropriate safety gear (e.g., safety glasses) when using the product to prevent injury.

Instructions for Installation and Usage

1. Installation

- Ensure that your workstation is clean and free of any obstructions.
- Locate the appropriate slot on your LockNLoad® AP™ or LockNLoad® Iron Press™.
- Insert the primer pickup tube firmly into the designated slot until it clicks into place.

2. Usage

- Load the primers into the pickup tube as per the manufacturer's guidelines.
- Ensure that the primers are seated correctly within the tube.
- When ready to load, activate the reloading mechanism slowly to avoid jamming.
- Monitor the primer levels in the tube regularly to avoid interruptions during the reloading process.

3. PostUsage Care

- After use, remove the pickup tube from the machine.
- Clean the tube with a dry cloth to remove any debris.
- Store the tube in its original packaging or a safe container to prevent damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste if it contains any hazardous materials.
- Check with local authorities for specific disposal guidelines related to reloading equipment.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer's website or customer service resources. Ensure that you have the product details on hand to facilitate efficient support.

Thank you for your attention to these safety instructions. Enjoy your reloading with the LOCKNLOAD PRIMER PICKUP TUBE SMALL PRIMER PICKUP TUBE 3/PACK while prioritizing safety and compliance.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz