

2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 50 CALIBER (0.515") 450GR ROUND NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



Attributes

- Name: [LEE PRECISION 50 CALIBER \(0.515"\) 450GR ROUND NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100032139
- Mfr. No.: 90255
- Bullet Weight (Grains): 450
- Caliber: 50 Caliber
- Cavities: -
- Diameter (in): 0.515
- Delivery weight: 0.408kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 279mm
- UPC: 734307902551

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds
- About Us

Safety Instruction Guide for 2 Cavity Rifle Bullet Molds

Introduction

Thank you for choosing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this guide thoroughly before using the product to minimize risks and enhance your experience.

General Safety Guidelines

- Always follow the manufacturer's instructions for use.
- Ensure that the work area is wellventilated and free from hazards.
- Keep the product out of reach of children and vulnerable individuals.
- Use appropriate personal protective equipment (PPE), such as safety goggles and gloves, during use.
- Regularly inspect the product for wear and damage before each use.
- In case of any accidents or injuries, seek medical attention immediately.

Specific Safety Precautions for Use

- Be aware of hot surfaces during and after use, as the molds can become very hot.
- Avoid direct contact with molten materials to prevent burns.
- Use caution when handling tools and equipment associated with the molding process.
- Ensure that the mold is securely clamped in place before use to prevent movement.
- Do not exceed the recommended temperature limits for the materials used.
- Always allow the mold to cool completely before handling or cleaning.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools and materials before starting.
- Ensure that the work area is clean and organized.

2. Installation:

- Secure the mold to a stable work surface using appropriate clamps.
- Attach the handles and sprue plates as per the manufacturer's instructions.

3. Usage:

- Preheat the mold according to the recommended temperature settings.
- Carefully pour the molten material into the mold cavities, ensuring not to overfill.
- Allow the material to cool and solidify as per the recommended time.
- Once cooled, carefully remove the bullets from the mold.

4. PostUse:

- Clean the mold thoroughly after each use to maintain its integrity.
- Store the mold in a dry, safe place away from direct sunlight and moisture.

Disposal Instructions

- Dispose of any waste materials in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or no longer usable.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the product, please reach out to the manufacturer's customer service or consult the product website for further assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 2 Cavity Rifle Bullet Molds from Lee Precision. Thank you for your attention to safety, and happy molding!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk