

SPIGOT MOUNTS - KINETIC RESEARCH GROUP WHISKEY-3 GEN 3+, X-RAY, BRAVO SPIGOT MOUNT

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

The Multi-Tool of Mounting Options

The Spigot Mount is the ideal solution for alternate mounting options for your Whiskey-3 Chassis, X-ray, or Bravo chassis. It features a bolt-on installation into the slot at the front of the chassis and provides a multitude of mounting options. In addition, it provides for various sling mounts, QD or otherwise, and also provides a more stable location for a bipod which is closer to the bore by about an inch and further toward the muzzle approximately five inches. Both Minimalist Spigot and full Spigot can be used in conjunction with KRG INVR barrel channel mounted NV rail. It mounts into your Whiskey-3, X-Ray or Bravo with minimal interference into the barrel channel, so larger barrel diameters can be accommodated more easily. Fits: All KRG X-ray, all Bravo, and Whiskey-3 (gen 3/2013 and newer) Can be used in conjunction with KRG Integrated Night Vision Rail (INVR). Weight: 3.5 oz. Materials/Finishes: Machined aluminum billet with mil spec hard anodize. Installation/Tools needed: Hex wrenches (metric). Forend will need to be removed and barrelled action may or may not need to be removed for installation.



Attributes

- Name: [KINETIC RESEARCH GROUP WHISKEY-3 GEN 3+, X-RAY, BRAVO SPIGOT MOUNT](#)
- Manufacturer: [KINETIC RESEARCH GROUP](#)
- Product no.: 100033914
- Mfr. No.: SPG-G34
- Finish: Black
- Material: Aluminum
- Delivery weight: 0.181kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 229mm

Item details

Made in USA

US export classification: 0A501.y.1

Table of Contents

- Startpage
- SPIGOT MOUNTS KINETIC RESEARCH GROUP WHISKEY3 GEN 3+, XRAY, BRAVO SPIGOT MOUNT Safety Instructions
- About Us

SPIGOT MOUNTS KINETIC RESEARCH GROUP

WHISKEY3 GEN 3+, XRAY, BRAVO SPIGOT MOUNT

Safety Instructions

Introduction

Thank you for choosing the Spigot Mount for your Whiskey3, Xray, or Bravo chassis. This guide provides important safety information and instructions to ensure the safe and effective use of your product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the Spigot Mount is used only for its intended purpose as described in this manual.
- Always inspect the Spigot Mount for any signs of damage or wear before use.
- Do not exceed the weight limits specified by the manufacturer when mounting accessories.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- If you experience any issues or have concerns regarding the product, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- When using the Spigot Mount, ensure that it is securely fastened to prevent accidental detachment during use.
- Avoid using the Spigot Mount in harsh environmental conditions that may affect its performance, such as extreme temperatures or moisture.
- Be cautious when handling tools during installation to prevent injury.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when installing or adjusting the Spigot Mount.
- Ensure that all accessories mounted on the Spigot Mount are compatible and securely attached.

Instructions for Installation and Usage

1. Preparation:

- Gather the necessary tools, including metric hex wrenches.
- Ensure that your Whiskey3, Xray, or Bravo chassis is clean and free from debris.

2. Installation Steps:

- Remove the forend of your chassis according to the manufacturer's instructions.
- Depending on your chassis design, you may need to remove the barrelled action for easier access.
- Align the Spigot Mount with the designated slot at the front of the chassis.
- Use the hex wrenches to securely fasten the Spigot Mount into place. Ensure it is tight, but avoid overtightening, which may cause damage.
- Reattach the forend and barrelled action if removed.

3. Usage:

- Once installed, the Spigot Mount can accommodate various sling mounts and bipods.
- Ensure that all mounted accessories are properly secured and adjusted before use.
- Regularly check the tightness of the Spigot Mount and accessories during use to ensure safety.

Disposal Instructions

- Dispose of the Spigot Mount and any packaging materials in accordance with local regulations.
- If the Spigot Mount is damaged or no longer usable, consider recycling the materials where possible.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product support, please refer to the manufacturer's website or contact your local distributor. Ensure that you have the product details and any relevant information ready when seeking assistance.

Thank you for following these safety instructions. Your adherence to these guidelines will help ensure a safe and enjoyable experience with your Spigot Mount.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk