

# AR-15 RANGER 5.56 16" COYOTE

[Firearms](#) > [Rifles](#) > [Semi-Auto](#)

The Ranger series of rifles by Wilson Combat combines our exclusive lightweight billet receiver set and our Ranger profile match-grade, tapered barrel to create a fast-handling precision AR carbine that is an ideal tactical, defense or hunting gun where light weight is a pre-requisite. Our Ranger profile barrel is the lightest profile AR barrel that still retains match-grade accuracy as the rifle heats up from rapid-fire shooting. Like all Wilson Combat custom rifles, the Ranger is equipped with our strong and light M-LOK capable rail and our time-tested Tactical Trigger Unit. A Wilson-SLR click adjustable gas block allows you to easily fine tune your Ranger to the pressure of your specific ammunition used. When you need a handy yet accurate premium tactical rifle the Ranger will lead the way. SPECIFICATIONS: Lightweight Billet Upper (Flat Top) and Billet Lower Receiver Wilson Combat Ranger Match Grade Barrel SLR Rifleworks Adjustable Gas Block Threaded Muzzle with Q-Comp Wilson Combat 10" M-LOK Rail with Three Falcon/Ergo Rail Covers Rogers/Wilson Super-Stoc Wilson Combat TTU (Tactical Trigger Unit) M2, 4# Premium Mil-Spec Bolt and Bolt Carrier, MP Inspected, NP3 Wilson Combat/BCM Starburst Gunfighter Grip, Black Armor-Tuff® Finish applied over Mil-Spec Hard Anodized Upper/Lower Receivers



## Attributes

- Name: [AR-15 RANGER 5.56 16" COYOTE](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 100034318
- Mfr. No.: TR-RA-CT5561618
- Action Type: Direct Impingement
- Barrel Length: 16"
- Capacity: 30+1-Round
- Cartridge: 5.56 mm NATO
- Finish: Coyote
- Front Sight: None
- Length: 33.5"-37.75"
- Magazine Included: 1 x 30-Round
- Magazine Type: Removable
- Make: Wilson Combat
- Model: AR-15 Ranger
- Muzzle: Brake
- Rear Sight: None
- Stock Material: Polymer
- Weight: 6.1 lbs
- Delivery weight: 4.99kg
- Shipping height: 114mm
- Shipping width: 178mm
- Shipping length: 1,295mm
- UPC: 811826028198

## Item details

Made in USA

US export classification: 0A506.a

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the AR15 RANGER 5.56 16" COYOTE](#)
- [About Us](#)

# Safety Instruction Guide for the AR15 RANGER 5.56 16" COYOTE

## Introduction

Thank you for choosing the AR15 RANGER 5.56 16" COYOTE by Wilson Combat. This guide provides essential safety information and instructions to ensure the safe use of your firearm. Please read this manual carefully before using the product.

## General Safety Guidelines

- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Ensure that your firearm is secured and stored in a safe location, away from children and unauthorized users.
- Use only the recommended ammunition type (5.56 mm NATO) for this firearm.
- Regularly inspect your firearm for any signs of wear or damage.
- Do not modify your firearm in any way that could compromise its safety.
- Always wear appropriate eye and ear protection when shooting.
- Be aware of your surroundings and ensure a safe shooting environment.

## Specific Safety Precautions for Use

- Ensure that the safety mechanism is engaged until you are ready to fire.
- Do not place your finger on the trigger until you are ready to shoot.
- Be cautious of hot surfaces, especially after firing, as the barrel and components may become very hot.
- Avoid using the firearm under the influence of alcohol or drugs.
- Keep the muzzle clear of obstructions at all times.
- In case of a misfire, wait at least 30 seconds before attempting to clear the firearm.
- Always follow local laws and regulations regarding firearm usage and transportation.

## Instructions for Installation and Usage

### Installation

1. **Check Contents:** Ensure that all components are included in the package.
2. **Attach the Rail:** Secure the Wilson Combat 10" MLOK Rail to the upper receiver using the provided screws.
3. **Install the Stock:** Attach the Rogers/Wilson SuperStoc according to the manufacturer's instructions.
4. **Adjust the Gas Block:** Set the SLR Rifleworks Adjustable Gas Block to your preferred setting based on the ammunition used.

### Usage

1. **Load the Magazine:** Insert the 30round magazine into the magazine well until it clicks into place.
2. **Chamber a Round:** Pull the charging handle to the rear and release it to chamber a round.
3. **Engage Safety:** Ensure the safety is engaged before handling or transporting the firearm.
4. **Fire:** When ready to shoot, disengage the safety and aim accurately before pulling the trigger.

## Disposal Instructions

- Dispose of the firearm in accordance with local laws and regulations.
- If you need to dispose of any firearm components, check with local authorities for proper disposal.

methods.

- Ensure that any hazardous materials, such as ammunition, are disposed of safely and responsibly.

## **Contact Information for Further Support**

For safety inquiries or support regarding your AR15 RANGER, please reach out to an authorized Wilson Combat dealer or visit their official website for further assistance.

## **Conclusion**

Your safety and the safety of others are paramount when using the AR15 RANGER 5.56 16" COYOTE. By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your firearm. Always stay informed about safety practices and local laws related to firearm usage. Thank you for your commitment to responsible firearm ownership.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)