

AR-15 RANGER 300 BLACKOUT 16" COYOTE

[Firearms](#) > [Rifles](#) > [Semi-Auto](#)

The Ranger series of rifles by Wilson Combat combines our exclusive lightweight billet receiver set and our Ranger profile match-grade, tapered barrel to create a fast-handling precision AR carbine that is an ideal tactical, defense or hunting gun where light weight is a pre-requisite. Our Ranger profile barrel is the lightest profile AR barrel that still retains match-grade accuracy as the rifle heats up from rapid-fire shooting. Like all Wilson Combat custom rifles, the Ranger is equipped with our strong and light M-LOK capable rail and our time-tested Tactical Trigger Unit. A Wilson-SLR click adjustable gas block allows you to easily fine tune your Ranger to the pressure of your specific ammunition used. When you need a handy yet accurate premium tactical rifle the Ranger will lead the way. SPECIFICATIONS: Lightweight Billet Upper (Flat Top) and Billet Lower Receiver Wilson Combat Ranger Match Grade Barrel SLR Rifleworks Adjustable Gas Block Threaded Muzzle with Q-Comp Wilson Combat 10" M-LOK Rail with Three Falcon/Ergo Rail Covers Rogers/Wilson Super-Stoc Wilson Combat TTU (Tactical Trigger Unit) M2, 4# Premium Mil-Spec Bolt and Bolt Carrier, MP Inspected, NP3 Wilson Combat/BCM Starburst Gunfighter Grip, Black Armor-Tuff® Finish applied over Mil-Spec Hard Anodized Upper/Lower Receivers



Attributes

- Name: [AR-15 RANGER 300 BLACKOUT 16" COYOTE](#)
- Manufacturer: [WILSON COMBAT](#)
- Product no.: 100034331
- Mfr. No.: TR-RA-CT3001617
- Action Type: Direct Impingement
- Barrel Length: 16"
- Capacity: 20+1-Round
- Cartridge: 300 AAC Blackout
- Finish: Coyote
- Front Sight: None
- Length: 33.5"-37.75"
- Magazine Included: 1 x 20-Round
- Magazine Type: Removable
- Make: Wilson Combat
- Model: AR-15 Ranger
- Muzzle: Brake
- Rear Sight: None
- Stock Material: Polymer
- Weight: 6.3 lbs
- Delivery weight: 4.899kg
- Shipping height: 108mm
- Shipping width: 362mm
- Shipping length: 1,086mm
- UPC: 811826028303

Item details

Made in USA
US export classification: 0A506.a

Table of Contents

- Startpage
- Safety Instruction Guide for the AR15 RANGER 300 BLACKOUT 16" COYOTE
- About Us

Safety Instruction Guide for the AR15 RANGER 300 BLACKOUT 16" COYOTE

Introduction

Thank you for choosing the AR15 RANGER 300 BLACKOUT 16" COYOTE by Wilson Combat. This guide provides essential safety instructions to ensure the safe use and handling of your firearm. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe handling of firearms at all times.
- Always treat every firearm as if it is loaded.
- Keep the firearm pointed in a safe direction.
- Keep your finger off the trigger until ready to shoot.
- Be aware of your target and what is beyond it.
- Store firearms securely and out of reach of children.
- Use appropriate personal protective equipment (PPE) when shooting, such as ear and eye protection.
- Regularly inspect your firearm to ensure it is in good working condition.
- Follow all local laws and regulations regarding firearm ownership and use.

Specific Safety Precautions for Use

- Only use ammunition specified for the AR15 RANGER 300 BLACKOUT.
- Do not modify the firearm or use aftermarket parts that are not approved by Wilson Combat.
- Ensure that the firearm is unloaded when not in use or during cleaning.
- Avoid using the firearm in wet or damp conditions to prevent rust and corrosion.
- Use caution when adjusting the gas block and ensure that the firearm is unloaded before making any adjustments.
- Always perform a function check after cleaning or adjusting the firearm.

Instructions for Installation and Usage

Installation

- Carefully read the manufacturer's manual before installation.
- Ensure that the firearm is unloaded before beginning any installation process.
- Follow these steps for proper installation:
 1. Remove the upper receiver from the lower receiver.
 2. Install the adjustable gas block according to the manufacturer's instructions.
 3. Reattach the upper receiver securely to the lower receiver.
 4. Ensure all components are properly aligned and tightened.

Usage

- Before use, ensure that the firearm is clean and well-maintained.
- Load the magazine with the appropriate ammunition.
- Insert the magazine into the magazine well until it clicks into place.
- To chamber a round, pull the charging handle fully to the rear and release it.
- To fire, aim at the target and place your finger on the trigger only when ready to shoot.
- After firing, always check to ensure the firearm is safe before handling or storing it.

Disposal Instructions

- Dispose of the firearm according to local laws and regulations.
- If the firearm is no longer in use, consider turning it in to local law enforcement or a licensed dealer.
- Do not dispose of ammunition in regular trash; consult local guidelines for proper ammunition disposal.

Contact Information for Further Support

For any safety inquiries or assistance, please refer to the contact information provided with your product packaging or on the manufacturer's website.

By following these safety guidelines and instructions, you can help ensure a safe and enjoyable experience with your AR15 RANGER 300 BLACKOUT 16" COYOTE. Always prioritize safety and responsibility when handling firearms.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at