

TCC TAILCAP - MODLITE SYSTEMS TCC TAILCAP

[Shooting Accessories](#) > [Flashlights & Accessories](#) > [Weapon Lights](#)

Accidental Light Activation No More

The Modlite E-Series Tailcap Switch is Black HA Type III Anodized. It features a recessed shroud which helps to prevent accidental activation. It also uses a forward clicking McClicky switch for momentary and constant on operation. The Tailcap fits Surefire® E-Series Bodies as well as Modlite 18650/18350 and Arisaka M300/600 Bodies.



Attributes

- Name: [MODLITE SYSTEMS TCC TAILCAP](#)
- Manufacturer: [MODLITE SYSTEMS](#)
- Product no.: 100037375
- Mfr. No.: TC-WML-BLK
- Delivery weight: 0.045kg
- Shipping height: 38mm
- Shipping width: 102mm
- Shipping length: 178mm
- UPC: 850008965102

Item details

Made in USA

Table of Contents

- Startpage
- TCC Tailcap Modlite Systems Safety Instruction Guide
- About Us

TCC Tailcap Modlite Systems Safety Instruction Guide

Introduction

Thank you for choosing the TCC Tailcap Modlite Systems. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this guide carefully before using the tailcap switch to understand how to operate it safely and effectively.

General Safety Guidelines

- Always use the TCC Tailcap in accordance with the manufacturer's instructions.
- Ensure that the tailcap is compatible with your specific device, including Surefire® ESeries Bodies and Modlite 18650/18350 and Arisaka M300/600 Bodies.
- Inspect the tailcap for any visible damage before use. Do not use if damaged.
- Keep the tailcap out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed.

Specific Safety Precautions for Use

- Avoid exposing the tailcap to extreme temperatures, moisture, or direct sunlight for extended periods.
- Do not attempt to modify or repair the tailcap yourself. Contact a professional for repairs.
- Ensure the tailcap is securely attached to the device before use to prevent accidental disconnection.
- Use the forward clicking McClicky switch gently to avoid damaging the mechanism.
- When using the momentary function, release the switch promptly to prevent overheating.
- If the tailcap becomes too hot during use, discontinue use immediately and allow it to cool down.

Instructions for Installation and Usage

1. Installation:

- Ensure your device is turned off before installation.
- Align the tailcap with the device's body and gently twist it clockwise until secure.
- Check that the tailcap is firmly attached and does not wobble.

2. Using the Tailcap:

- To activate the light momentarily, press the McClicky switch lightly and release.
- For constant on operation, press the switch until you hear a click and release.
- To turn off the light, press the switch again until it clicks.

3. Maintenance:

- Regularly clean the tailcap with a soft, dry cloth to remove dirt and debris.
- Store the tailcap in a cool, dry place when not in use to prolong its lifespan.

Disposal Instructions

- Dispose of the tailcap in accordance with local regulations for electronic waste.
- Do not throw the tailcap in regular household waste.
- Check with your local waste management authority for specific disposal guidelines.

Contact Information for Further Support

For any questions or concerns regarding the TCC Tailcap Modlite Systems, please consult the manufacturer's website or customer service for assistance.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using your TCC Tailcap Modlite Systems.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk