

BR-4 G2 BOLT ACTION BIPODS - ACCU-TAC BR-4 G2 BIPOD QUICK DETACH MATTE BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

ACCU-TAC BR-4 G2 BOLT ACTION BIPODS The Accu-Tac BR-4 G2 Bolt Action Bipod with the quick detach was designed, engineered, and manufactured in the USA. This smaller bipod is convenient for a more grounded shot. The BR-4 is 100% billet, made from the highest quality aircraft aluminum available.

Accu-Tac's quick detach rail mount is simple, quick, and very secure. The quick detach attaches to a 1913 Picatinny rail and mounts in seconds without the need to use extra tools for tightening. Their leg design allows the shooter to quickly adjust to 5 different positions with the advantage of being able to position each leg differently. The updated G2 model now offers leg extensions with a total of 5 notches for additional height. The BR-4 G2 has the ability to cant which can be locked with its new throw lever. To engage or adjust leg position, simply pull the leg downward to move each leg independently. Leg positions can be deployed in a 45 or 90 degree position either forwards or backwards, locking securely into 5 positions through a 180 degree arch."

Accu-Tac's quick detach rail mount is simple, quick, and very secure. The quick detach attaches to a standard Arca Swiss or Arca style rail and mounts in seconds without the need to use extra tools for tightening. Their leg design allows the shooter to quickly adjust to 5 different positions with the advantage of being able to position each leg differently. The updated G2 model now offers leg extensions with a total of 5 notches for additional height. The BR-4 G2 has the ability to cant which can be locked with its new throw lever. To engage or adjust leg position, simply pull the leg downward to move each leg independently. Leg positions can be deployed in a 45 or 90 degree position either forwards or backwards, locking securely into 5 positions through a 180 degree arch. Quick Detach: Materials 6061 T6 Aluminum alloy / High strength steel hardware Min. Height (Legs at 45°) 5.5" / 140 mm Min. Height (Legs at 90°) 6.75" / 171.5 mm Max. Height (Legs at 90°) 8.25" / 210 mm Min. Stance (Legs at 45°) 8.0" / 203 mm Max. Stance (Legs at 90°) 12.25" / 311 mm Closed Position Width 3.250" / 82.5 mm Closed Position Length 7.5" / 190 mm Weight 20 oz Color Flat Black Coating Type III (MIL-SPEC) Hard Anodize Arca Spec: Materials 6061 T6 Aluminum alloy / High strength steel hardware Min. Height (Legs at 45°) 5.75" / 146.0 mm Min. Height (Legs at 90°) 7.0" / 177.8 mm Max. Height (Legs at 90°) 8.625" / 219.0 mm Min. Stance (Legs at 45°) 8.0" / 203mm Max. Stance (Legs at 90°) 12.25" / 311 mm Closed Position Width 3.25" / 82.5 mm Closed Position Length 7.5" / 190 mm Weight 21.12 oz Color Flat Black Coating Type III (MIL-SPEC) Hard Anodize



Attributes

- Name: [ACCU-TAC BR-4 G2 BIPOD QUICK DETACH MATTE BLACK](#)
- Manufacturer: [ACCU-TAC](#)
- Product no.: 100040481
- Mfr. No.: BRB-G200
- Attachment: Quick Detach
- Colour: Black
- Feet Material: Rubber
- Folding: Yes
- Height: 5.5 to 8.25

- Weight: 20.0 oz
- Delivery weight: 0.907kg
- Shipping height: 83mm
- Shipping width: 140mm
- Shipping length: 324mm
- UPC: 858520006244

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for ACCUTAC BR4 G2 Bolt Action Bipod
- About Us

Safety Instruction Guide for ACCUTAC BR4 G2 Bolt Action Bipod

Introduction

Thank you for choosing the ACCUTAC BR4 G2 Bolt Action Bipod. This product is designed for stability and convenience during shooting. To ensure your safety and the optimal performance of the bipod, please read this safety instruction guide carefully.

General Safety Guidelines

- **Product Safety:** This bipod is designed to meet safety standards for nonfood products. Ensure that you follow all usage instructions to avoid risks.
- **Enhanced Recalls:** Stay informed about product recalls. If you receive a recall notice, follow the instructions provided to remedy the situation.
- **Online Shopping:** If purchased online, ensure the platform complies with safety requirements.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, refer to the contact information provided with your purchase.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on product safety.

Specific Safety Precautions for Use

- **Do not exceed weight limits:** Ensure that the bipod is used within its specified weight limits to prevent failure.
- **Inspect before use:** Always check the bipod for any signs of damage or wear before each use.
- **Secure attachment:** Make sure the bipod is securely attached to the firearm before use to avoid accidents.
- **Avoid extreme conditions:** Do not use the bipod in extreme weather conditions that may affect its performance or safety.
- **Proper handling:** Handle the bipod with care to prevent injury. Do not place fingers near moving parts during adjustment.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded before attaching the bipod.
- Use the quick detach rail mount to attach the bipod to a compatible 1913 Picatinny rail or Arca Swiss rail.
- Tighten the mount securely without the use of excessive force.

2. Adjusting Leg Positions:

- To adjust the legs, pull each leg downward to move independently.
- Deploy legs in either a 45degree or 90degree position, locking securely into 5 positions through a 180degree arch.
- Ensure legs are locked in place before use.

3. Using the Bipod:

- Position the bipod on stable ground for optimal support.

- Adjust the cant using the throw lever as needed.
- Always maintain control of the firearm while using the bipod.

4. PostUse Care:

- Clean the bipod after each use to remove dirt and debris.
- Store the bipod in a dry place to prevent corrosion.

Disposal Instructions

- Dispose of the bipod according to local regulations for metal and aluminum products.
- Do not dispose of the bipod in regular household waste.
- Consider recycling the bipod if possible to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or support needs, please refer to the contact information provided with your product.

Thank you for ensuring your safety and the safety of others while using the ACCUTAC BR4 G2 Bolt Action Bipod. Your attention to these guidelines is appreciated.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk