

G2 BIPOD SPIKES - ACCU-TAC G2 SPIKES

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipod Accessories](#)

ACCU-TAC G2 BIPOD SPIKES The Accu-Tac steel spikes are the perfect accessory for your bipod. They provide aggressive traction on dirt or any soft surfaces. They are CNC machined and black oxide treated. The replacement spikes have a simple screw on design that allows you to quickly change from rubber feet to steel spikes in seconds! **FEATURES** Material Aluminum Alloy / steel Hardware Weight 1.7oz/48g/.108lb (each) Color: FLAT BLACK Coating Black Oxide



Attributes

- Name: [ACCU-TAC G2 SPIKES](#)
- Manufacturer: [ACCU-TAC](#)
- Product no.: 100040484
- Mfr. No.: LRS-0200
- Delivery weight: 0.059kg
- Shipping height: 38mm
- Shipping width: 76mm
- Shipping length: 108mm
- UPC: 858520006077

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for ACCUTAC G2 Bipod Spikes](#)
- [About Us](#)

Safety Instruction Guide for ACCUTAC G2 Bipod Spikes

Introduction

Thank you for choosing the ACCUTAC G2 Bipod Spikes. These steel spikes are designed to enhance the stability of your bipod on various surfaces. This guide provides essential safety instructions to ensure your safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in this guide.
- Always inspect the spikes before use for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about any recall updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the spikes only on stable ground to prevent accidents.
- Avoid using the spikes on hard surfaces where they may slip or cause damage.
- Do not exceed the weight limit of your bipod when using the spikes.
- Always ensure that the spikes are securely attached before use.
- If you notice any instability while using the spikes, discontinue use immediately.

Instructions for Installation and Usage

1. Installation of Spikes

- Ensure the bipod is in a stable position.
- Remove the rubber feet by unscrewing them from the bipod legs.
- Take the ACCUTAC G2 Bipod Spikes and align them with the screw holes on the bipod legs.
- Screw the spikes onto the bipod legs until they are securely fastened.

2. Usage of Spikes

- Position your bipod with spikes on the desired surface.
- Ensure that the spikes penetrate the surface adequately for stability.
- Adjust the bipod as necessary to achieve the desired height and angle.

3. Removal of Spikes

- To switch back to rubber feet, unscrew the spikes from the bipod legs.
- Replace with the rubber feet by aligning them with the screw holes and fastening securely.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for metal and other materials.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please contact the manufacturer directly through the provided contact channels.

Thank you for your attention to these safety instructions. Proper use and care will help ensure your safety and the longevity of your ACCUTAC G2 Bipod Spikes.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk