

AR .308 MUZZLE BRAKE - MIDWEST INDUSTRIES AR .308 MUZZLE BRAKE .30/.300AAC BLACK 5/8-24

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Three chamber design significantly reduces muzzle rise Constructed of tool steel with a phosphate finish 5/8 - 24 threads for .30CAL / .300AAC rifles
Includes new crush washer 100% made in the U.S.A. Lifetime Warranty Weight 4 oz



Attributes

- Name: [MIDWEST INDUSTRIES AR .308 MUZZLE BRAKE .30/.300AAC BLACK 5/8-24](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100041144
- Mfr. No.: MI-AR30MB1
- Caliber: 30 Caliber (.308)
- Finish: Black
- Material: Steel
- Threads: 5/8-24
- Weapon type: AR .308
- Delivery weight: 0.125kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 142mm
- UPC: 816537018292

Item details

Made in USA

Table of Contents

- Startpage
- AR .308 Muzzle Brake Safety Instruction Guide
- About Us

AR .308 Muzzle Brake Safety Instruction Guide

Introduction

Thank you for choosing the AR .308 Muzzle Brake by Midwest Industries. This guide provides essential safety information, installation instructions, and general usage guidelines to ensure safe operation of your muzzle brake. Please read this guide thoroughly before use.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's specifications.
- Always wear appropriate eye and ear protection when using firearms equipped with a muzzle brake.
- Keep the muzzle brake and associated firearms out of reach of children and unauthorized users.
- Regularly inspect the muzzle brake for any signs of wear or damage.
- Do not modify the muzzle brake in any way, as this may compromise its safety and effectiveness.
- Report any unsafe conditions or incidents to the relevant authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the muzzle brake with .30 Caliber (.308) or .300AAC rifles.
- Ensure that the threads of the muzzle brake (5/8x24) are compatible with your firearm.
- Always verify that the firearm is unloaded before installing or removing the muzzle brake.
- Avoid using the muzzle brake in environments where it may be exposed to extreme temperatures or corrosive materials.
- Be aware that the muzzle brake may increase noise levels; ensure that appropriate hearing protection is used.

Instructions for Installation and Usage

Installation

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Remove the existing muzzle device, if applicable.
3. Clean the threads of the barrel to remove any debris or old thread sealant.
4. Carefully screw the muzzle brake onto the barrel, ensuring that it is aligned properly.
5. Use a new crush washer to secure the muzzle brake in place.
6. Tighten the muzzle brake to the manufacturer's recommended torque specifications, ensuring it is secure but not overtightened.

Usage

- Once installed, the muzzle brake is designed to reduce muzzle rise and recoil during firing.
- Always check that the muzzle brake is securely fastened before each use.
- After firing, inspect the muzzle brake for any signs of damage or wear.
- If any issues are detected, refrain from using the firearm until the muzzle brake has been inspected by a qualified gunsmith.

Disposal Instructions

- Dispose of the muzzle brake in accordance with local regulations regarding metal waste.
- If the muzzle brake is damaged or no longer usable, consider recycling it if facilities are available.
- Do not dispose of the muzzle brake in regular household waste.

Contact Information for Further Support

For any inquiries or further support regarding the AR .308 Muzzle Brake, please refer to the manufacturer's contact information provided in the product packaging or documentation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk