

RAIDER CLEAT FEET FOR V8, PSR, & CAL BIPODS - ACCU-SHOT

RAIDER CLEAT FEET FOR V8, PSR, & CAL BIPODS SS

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipod Accessories](#)

ATLAS BIPOD RAIDER CLEAT FEET FOR V8, PSR, & CAL BIPODS The BT74 Atlas Raider Cleat Feet are turned from 303 Stainless Steel bar stock in one piece for strength and durability. They will fit V8, PSR and CAL model Atlas Bipods, as well as adaptors that use ACCU-SHOT feet. Easily installed with the press of a stainless steel plunger. SPECS The Cleat portion is approximately 0.75" long with the largest outer diameter of approximately 1.155". Sold as a pair. Available in raw stainless steel only. Total Weight of Pair: 2.65 ounces



Attributes

- Name: [ACCU-SHOT RAIDER CLEAT FEET FOR V8, PSR, & CAL BIPODS SS](#)
- Manufacturer: [ACCU-SHOT](#)
- Product no.: 100041876
- Mfr. No.: BT74
- Delivery weight: 0.086kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 127mm
- UPC: 810040220722

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for RAIDER CLEAT FEET FOR V8, PSR, & CAL BIPODS
- About Us

Safety Instruction Guide for RAIDER CLEAT FEET FOR V8, PSR, & CAL BIPODS

Introduction

Thank you for choosing the RAIDER CLEAT FEET for your Atlas Bipod. This safety instruction guide is designed to provide you with essential information to ensure safe usage and installation of the product. Please read this guide carefully before using the RAIDER CLEAT FEET.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose with compatible Atlas Bipods (V8, PSR, and CAL models).
- Inspect the product before each use for any signs of damage or wear. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- Always follow the manufacturer's instructions for installation and usage.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about any recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the weight limit specified for your Atlas Bipod when using the RAIDER CLEAT FEET.
- Avoid using the product on unstable or uneven surfaces to prevent tipping or falling.
- Use caution when installing the RAIDER CLEAT FEET; ensure that your hands are clear of any moving parts.
- When using the product, maintain a secure grip on the bipod to avoid losing control.
- Be aware of your surroundings and ensure that no one is in the vicinity of the bipod during use.

Instructions for Installation and Usage

1. Installation

- Remove any existing feet from your Atlas Bipod if applicable.
- Align the RAIDER CLEAT FEET with the attachment point on the bipod.
- Press the stainless steel plunger to secure the cleat feet in place.
- Ensure that the cleat feet are firmly attached before using the bipod.

2. Usage

- Set up the bipod on a stable surface.
- Adjust the legs of the bipod to the desired height and ensure they are locked in place.
- Check the stability of the bipod before placing any equipment on it.
- After use, remove the RAIDER CLEAT FEET if necessary, by pressing the plunger to release them.

Disposal Instructions

- Dispose of the RAIDER CLEAT FEET in accordance with local regulations for metal products.
- Do not dispose of the product in regular household waste.
- Consider recycling the product if facilities are available in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the RAIDER CLEAT FEET, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for your attention to these safety guidelines. Enjoy using your RAIDER CLEAT FEET safely and effectively!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk