

VANGUARD 2 HOLSTERS OVERHOOK KIT - RAVEN CONCEALMENT SYSTEMS VANGUARD 2 OVERHOOK SIG P320 X-FRAME BLACK

[Home](#)

The VanGuard 2 is a minimalist IWB holster. Unlike traditional IWB holsters, the VG2 covers only the trigger guard of your weapon. This unique design eliminates the bulk of a traditional holster, while providing a level of safety and security not attainable by simply sticking a pistol in the waistband of your pants. The VanGuard 2 can be used multiple ways: First, it can be used (without a lanyard or the overhook) as a trigger guard cover for storage and transportation safety. This prevents foreign objects from finding their way inside the trigger guard and potentially pressing the trigger, while still allowing the slide to be cycled and the magazine released. This gives users the ability to clear the weapon without the danger of a negligent discharge. Next, it can be used with a static-line tether for on-body (IWB) or off-body carry (such as inside a bag, purse, briefcase, vehicle console, etc). This allows the weapon to be safely carried with a chambered round without fear of a negligent discharge, while still being rapidly deployable. The holster can also be removed by catching the nose of the holster and prying it off. This allows one-hand deployment of the weapon even if the tether or attachment point fails to remove the holster. Finally, the user can attach the overhook to create a stable, secure, IWB holster. The complete system is fully adjustable for ride-height and cant, is tuckable for maximum concealment, and fully ambidextrous. Please be aware, RCS does not advise attempting to re-holster the weapon while the VG2 is inside your clothing. You should remove the VG2 and install it on the weapon outside of your waistband.



Attributes

- Name: [RAVEN CONCEALMENT SYSTEMS VANGUARD 2 OVERHOOK SIG P320 X-FRAME BLACK](#)
- Manufacturer: [RAVEN CONCEALMENT SYSTEMS](#)
- Product no.: 100044113
- Mfr. No.: VG2P320XFRBKOH
- Colour: Black
- Hand: Ambidextrous
- Material: Injection-molded polymer
- Model: P320 X-Full
- Weapon type: Sig Sauer
- Delivery weight: 0.091kg
- Shipping height: 51mm
- Shipping width: 89mm
- Shipping length: 203mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [VANGUARD 2 HOLSTERS OVERHOOK KIT SAFETY INSTRUCTIONS](#)
- [About Us](#)

VANGUARD 2 HOLSTERS OVERHOOK KIT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the VANGUARD 2 Holsters Overhook Kit by Raven Concealment Systems. This product is designed to provide a safe and secure way to carry your firearm. Please read this safety instruction guide carefully to ensure proper use and to maximize safety while using the product.

General Safety Guidelines

- Always treat your firearm as if it is loaded.
- Ensure that the VANGUARD 2 is properly attached to your firearm before use.
- Do not attempt to reholster your firearm while the VG2 is inside your clothing.
- Always store your firearm in a safe manner when not in use.
- Keep the holster out of reach of children and unauthorized users.
- Regularly inspect the holster for any signs of wear or damage before use.

Specific Safety Precautions for Use

- **Trigger Guard Coverage:** The VG2 covers only the trigger guard. Ensure that no foreign objects can enter the trigger guard area.
- **OnBody Carry:** When using the VG2 for onbody carry, ensure that it is securely attached and that the tether is properly fastened.
- **OffBody Carry:** When using the VG2 for offbody carry (e.g., in a bag), ensure that the bag is closed and that the firearm is not accessible to unauthorized individuals.
- **OneHand Deployment:** Practice removing the holster using one hand to ensure you can deploy your weapon quickly and safely if needed.
- **Adjustments:** Make sure to adjust the ride height and cant of the holster for optimal comfort and accessibility.

Instructions for Installation and Usage

1. Attaching the Holster:

- Align the VG2 with the trigger guard of your firearm.
- Ensure that the holster is securely attached to the firearm.

2. Using the Holster:

- For storage and transportation safety, use the VG2 without a lanyard or overhook.
- For onbody carry, attach the staticline tether securely.
- For offbody carry, place the VG2 in a secure location such as a bag or briefcase.

3. Removing the Holster:

- To remove the VG2, catch the nose of the holster and pry it off gently.
- Ensure the firearm is clear and safe before attempting to remove the holster.

4. Adjusting the Holster:

- Adjust the ride height and cant as needed for comfort.
- Confirm that the adjustments do not interfere with the safe operation of the firearm.

Disposal Instructions

- Dispose of the VG2 holster in accordance with local regulations.
- If the product is damaged beyond use, ensure that it is disposed of in a way that prevents unauthorized access.

Contact Information for Further Support

For any safety inquiries, please refer to the manufacturer's contact information included with the product. Always ensure you are following the latest safety guidelines and product updates.

By following these safety instructions, you can ensure that you are using the VANGUARD 2 Holsters Overhook Kit safely and effectively. Please keep this guide for future reference.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk