

AR-15 HAMMER SPRING - CMMG AR-15 HAMMER SPRING

[Rifle Parts](#) > [Triggers Parts](#) > [Hammer Parts](#) > [Hammer Springs](#)

Replacement AR-15 Hammer Spring.



Attributes

- Name: [CMMG AR-15 HAMMER SPRING](#)
- Manufacturer: [CMMG](#)
- Product no.: 100044613
- Mfr. No.: 55CA7AD
- Weapon type: AR-15
- Delivery weight: 0.009kg
- Shipping height: 6mm
- Shipping width: 121mm
- Shipping length: 178mm
- UPC: 810046231333

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [AR15 Hammer Spring Safety Instructions](#)
- [About Us](#)

AR15 Hammer Spring Safety Instructions

Introduction

Thank you for choosing the AR15 Hammer Spring by CMMG. This product is designed as a replacement part for your AR15 firearm. It is essential to follow safety guidelines to ensure the safe and effective use of this product. This document provides important safety instructions and guidelines in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always treat firearms as if they are loaded.
- Ensure that the firearm is pointed in a safe direction at all times.
- Keep your finger off the trigger until you are ready to fire.
- Store firearms and ammunition separately and securely.
- Regularly inspect your firearm and its components for wear and damage.
- Follow all local laws and regulations regarding firearm ownership and usage.
- If you are unfamiliar with firearm maintenance, seek assistance from a qualified gunsmith.

Specific Safety Precautions for Use

- Only use this hammer spring with compatible AR15 models as specified by the manufacturer.
- Ensure that the hammer spring is installed correctly to avoid malfunction.
- Do not modify the hammer spring or any associated components.
- Always wear safety glasses when handling or working on firearms.
- Keep the working area clean and free of distractions.
- If you experience any malfunctions or unusual behavior from your firearm, cease use immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation

- Ensure that your firearm is unloaded and in a safe condition before beginning installation.
- Gather necessary tools, including a punch tool and a hammer.

2. Installation Steps

- Remove the upper receiver from the lower receiver of your AR15.
- Use the punch tool to remove the existing hammer spring from the hammer assembly.
- Carefully install the new CMMG AR15 Hammer Spring by aligning it with the hammer assembly.
- Ensure the spring is seated properly in its designated position.
- Reassemble the upper and lower receivers of the firearm.

3. PostInstallation Checks

- Conduct a function check to ensure that the hammer operates correctly.
- Check for any unusual sounds or movements during operation.
- If problems are detected, disassemble and inspect the installation.

Disposal Instructions

- Dispose of the old hammer spring and any packaging materials in accordance with local regulations.
- Do not dispose of these materials in a manner that could harm the environment.

- If you are unsure about disposal methods, consult local waste management authorities.

Contact Information for Further Support

For any questions or concerns regarding the AR15 Hammer Spring, please refer to the manufacturer's contact information provided in the product packaging or on the official website. It is essential to reach out for assistance if you have any safety inquiries or require support with the product.

By following these safety instructions and guidelines, you can help ensure a safe and effective experience with your AR15 Hammer Spring. Thank you for your attention to safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk