

# RXS-100 REFLEX SIGHT - RXS-100 4 MOA DOT REFLEX SIGHT

[Optics & Mounting](#) > [Electronic Sights](#) > [Reflex Sights](#)

The RXS-100 is the new market leader in price and performance. Class leading value starts with multi-platform versatility with its DeltaPoint Pro mounting pattern, daylight bright 4 MOA dot with 8 settings, side battery door, up to 5000 hours of battery life, and an included Weaver-style low-rise mount. The RXS-100 has all the must have features and performance you need, at a price that can't be beat. Top that with Bushnell's Lifetime Ironclad Warranty, and you're ready to hit the range or field. Get yours today. EFFICIENT CLEAR 4 MOA DOT WITH 8 BRIGHTNESS SETTINGS Point source LED creates a clean beam that produces a strong dot without wasting energy. LONG LASTING BATTERY LIFE With 5,000 hours on the mid setting (Setting 5) you won't need to change the battery any time soon. The side loading battery is easy to replace without removing the sight from the firearm, allowing you to retain your zero. MOUNTS ON PISTOLS, AR'S AND SHOTGUNS Works across all common red dot mounts with DeltaPoint Pro footprint and included Weaver-style low-rise mount. DURABLE ALUMINUM CONSTRUCTION Rugged, aircraft grade, extruded aluminum housing ensures the glass and electronic internals are protected against firearm recoil (including pistol) and rough field use. CONVENIENT LAYOUT AND DESIGN Detented Windage/Elevation adjustment with 1 MOA per click. Top loading battery (CR2032) for easy replacement. Easy access push button design for brightness setting adjustment."



## Attributes

- Name: [RXS-100 4 MOA DOT REFLEX SIGHT](#)
- Manufacturer: [BUSHNELL](#)
- Product no.: 100046033
- Mfr. No.: RXS100
- Battery Life: 5000 hours
- Brightness Settings: 8 settings
- Click Value: 1 MOA
- Click Value: 1 MOA
- Finish: Black
- Power Supply: (1) CR 2032 Lithium battery
- Reticle: 4 MOA Dot
- Weight: 1.3 oz
- Delivery weight: 0.181kg
- Shipping height: 51mm
- Shipping width: 102mm
- Shipping length: 152mm
- UPC: 029757007308

## Item details

US export classification: 0A504.c

# Table of Contents

- [Startpage](#)
- [RXS100 REFLEX SIGHT USER SAFETY INSTRUCTIONS](#)
- [About Us](#)

# RXS100 REFLEX SIGHT USER SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing the RXS100 Reflex Sight. This manual provides important safety instructions and guidelines to ensure the safe and effective use of your product. Please read this guide carefully before using the sight and keep it for future reference.

## General Safety Guidelines

- Ensure that the RXS100 Reflex Sight is used in accordance with all local laws and regulations.
- Always handle firearms safely and responsibly.
- Keep the sight and all firearms out of reach of children and unauthorized users.
- Regularly inspect your sight for any signs of damage or malfunction before use.
- Do not modify the sight in any way, as this may compromise its safety and performance.
- Use only the specified battery type (CR2032 Lithium battery) for the sight.

## Specific Safety Precautions for Use

- **Eye Safety:** Always wear appropriate eye protection when using firearms equipped with the RXS100 Reflex Sight.
- **Mounting:** Ensure that the sight is securely mounted to the firearm to prevent it from becoming dislodged during use.
- **Zeroing the Sight:** Properly zero the sight before use to ensure accurate aiming. Follow the instructions in the installation section for guidance.
- **Battery Replacement:** Replace the battery only when the sight is not in use. Follow the instructions for safe battery replacement to avoid any risk of injury.
- **Environmental Conditions:** Avoid using the sight in extreme weather conditions that may impair visibility or functionality.
- **Cleaning:** Clean the sight with a soft, dry cloth. Do not use harsh chemicals or abrasive materials that may damage the lens or housing.

## Instructions for Installation and Usage

### Installation

#### 1. Mounting the Sight:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Select an appropriate mounting location on the firearm using the DeltaPoint Pro footprint or the included Weaverstyle lowrise mount.
- Securely attach the sight according to the manufacturer's instructions, ensuring it is firmly in place.

#### 2. Battery Installation:

- Locate the side battery door on the sight.
- Open the battery compartment and insert one CR2032 Lithium battery, ensuring the correct polarity is observed.
- Close the battery door securely.

## Usage

### 1. Turning On the Sight:

- Press the designated push button to turn on the sight.
- Adjust the brightness settings using the same button to select from the 8 available settings.

### 2. Zeroing the Sight:

- Use the detented Windage/Elevation adjustments to align the sight with your point of aim.
- Make adjustments in 1 MOA increments for precise targeting.

### 3. Maintaining the Sight:

- Regularly check the sight for any signs of wear or damage.
- If the sight becomes damaged or malfunctions, cease use immediately and consult a qualified technician.

## Disposal Instructions

- Dispose of the sight and any batteries in accordance with local regulations.
- Do not dispose of batteries in household waste. Instead, take them to a designated battery recycling location.

## Contact Information for Further Support

For any inquiries regarding the RXS100 Reflex Sight, including safety concerns or product support, please refer to the manufacturer's customer service or support resources.

By following these safety instructions, you can ensure a safe and enjoyable experience with your RXS100 Reflex Sight. Always prioritize safety when handling firearms and related accessories. Thank you for your attention to these important guidelines.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)