

MASTER-FIT 2" SPANNER WRENCH - REAL AVID MASTER-FIT 2" SPANNER WRENCH

[Gunsmith Tools](#) > [Rifle Tools](#) > [Wrenches](#)

Specialized, precise-fitment armorer's crowfoot wrench, fits 1/2" receiver torque wrench head - Purposefully designed to fit free-float barrel nut locking ring - Titanium coated stainless steel to confidently apply desired torque while minimizing marring on gun parts - Tight tolerances for solid grip and no-slip tool control .



Attributes

- Name: [REAL AVID MASTER-FIT 2" SPANNER WRENCH](#)
- Manufacturer: [REAL AVID](#)
- Product no.: 100047718
- Mfr. No.: AVMF2SW
- Delivery weight: 0.187kg
- Shipping height: 25mm
- Shipping width: 127mm
- Shipping length: 178mm
- UPC: 813119013867

Table of Contents

- Startpage
- MASTERFIT 2" SPANNER WRENCH SAFETY INSTRUCTIONS
- About Us

MASTERFIT 2" SPANNER WRENCH SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the MASTERFIT 2" Spanner Wrench by REAL AVID. This specialized tool is designed for precise fitment and safe use in firearms maintenance. To ensure your safety and the effective operation of the tool, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always inspect the tool before use for any signs of damage or wear.
- Use the tool only for its intended purpose, which is to fit ½" receiver torque wrench heads and freefloat barrel nut locking rings.
- Keep the tool out of reach of children and vulnerable individuals.
- Store the tool in a dry place to prevent rust and corrosion.
- Follow all local laws and regulations regarding the use of firearms and related tools.

Specific Safety Precautions for Use

- Ensure that you are wearing appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the wrench.
- Avoid using excessive force. If the wrench does not fit or turn easily, reassess the fitment rather than applying undue pressure.
- Do not use the wrench if it is damaged or if the locking ring is not secure.
- Be aware of your surroundings and ensure that no one is in the line of operation when using the wrench.
- Do not modify the tool in any way, as this may compromise its safety and effectiveness.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and safe to work on.
- Gather all necessary tools and materials before beginning.

2. Fitting the Wrench:

- Align the MASTERFIT 2" Spanner Wrench with the locking ring of the freefloat barrel nut.
- Ensure that the wrench is seated securely in the locking ring.

3. Applying Torque:

- Attach the wrench to a compatible ½" receiver torque wrench head.
- Gradually apply torque according to the specifications provided for your firearm to avoid overtightening.

4. Removing the Wrench:

- Once the desired torque is achieved, carefully remove the wrench from the locking ring.
- Inspect the tool for any signs of wear or damage before storing.

Disposal Instructions

- Dispose of the tool responsibly. If the tool is no longer usable, consider recycling it according to local regulations.
- Do not dispose of the tool in regular household waste.

Contact Information for Further Support

For any safety inquiries or assistance regarding the MASTERFIT 2" Spanner Wrench, please contact the manufacturer or your local distributor. They will provide you with the necessary support and information.

By adhering to these safety instructions, you can ensure a safe and effective experience with your MASTERFIT 2" Spanner Wrench. Always prioritize safety and responsible use when handling tools and firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk