

ULOOP - BLUE FORCE GEAR ULOOP 1.25 WEBBING SLOT BLACK

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Tactical Sling Mounts](#)

Sling hooks and clips are on borrowed time! The world no longer must tolerate loud, jangly sling attachments, hooks that eat up aluminum and plastic eyelets, or hardware pieces that take too long to attach and remove. With the Patent Pending ULoop finally on the scene, the hook and clip extinction event has begun. The Blue Force Gear ULoop™ brings a level of versatility that is unmatched by any other sling hardware. Code named the "Uber Loop" it is a quick-detach version of the popular Universal Wire Loop, offering even faster and easier installation, especially on smaller eyelets found on AK, HK, SIG, and FN weapons. The ULoop can be installed almost anywhere - through eyelets, holes in railed handguards, and on KeyMod rails. There's no need to have multiple sling attachments. The ULoop replaces all hooks, clips, and connections. The ULoop can be installed in seconds and does not need to be removed from the sling. To release the wire, push the wire loop down towards the body. Then push the exposed crimp ball from the opposite side out of the locking channel. Pull the loose end of the cable out of the body. From there, the wire can be inserted through eyelets, loops on weapons, holes, or slots in rails / KeyMod. Simply push the loose end of the cable back into the ULoop body and snap the cable back into the locking channel. 1" size fits slings up to 1" wide 1.25" size fits slings up to 1.25" wide 1" wire loop measured from the base of sling loop to the top of loop



Attributes

- Name: [BLUE FORCE GEAR ULOOP 1.25 WEBBING SLOT BLACK](#)
- Manufacturer: [BLUE FORCE GEAR](#)
- Product no.: 100047812
- Mfr. No.: UWL-UL1-125-BK
- Colour: Black
- Delivery weight: 0.014kg
- Shipping height: 13mm
- Shipping width: 76mm
- Shipping length: 89mm
- UPC: 812114024540

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for ULOOP BLUE FORCE GEAR ULOOP 1.25 WEBBING SLOT BLACK
- About Us

Safety Instruction Guide for ULOOP BLUE FORCE GEAR ULOOP 1.25 WEBBING SLOT BLACK

Introduction

Thank you for choosing the ULOOP BLUE FORCE GEAR ULOOP 1.25 WEBBING SLOT BLACK. This innovative product is designed to enhance the versatility and functionality of your sling attachments. To ensure your safety and the proper use of this product, please read and follow this safety instruction guide carefully.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the ULOOP by following all instructions and guidelines. This product is designed for nonfood applications and should not be used for any unintended purposes.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product. The manufacturer will provide standardized recall notices and remedies if necessary.
- **Online Shopping Protections:** If purchased online, ensure that the seller complies with safety requirements applicable to physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors to prevent accidents.
- **EU Contact Point:** For any safety inquiries regarding this product, please refer to the contact information provided with your purchase.
- **Rapid Alerts:** Be aware of the EU's Safety Gate system for updates on unsafe products. Reporting any unsafe experiences can help enhance safety for all consumers.

Specific Safety Precautions for Use

- **Installation:** Ensure the ULOOP is installed correctly to avoid accidents or malfunctions. Follow the installation instructions provided.
- **Weight Limit:** Do not exceed the recommended weight limit for the sling and attachments. Check the specifications for safe usage.
- **Regular Inspection:** Periodically inspect the ULOOP for wear and tear. Replace if any damage is evident.
- **Proper Handling:** Handle the ULOOP with care. Avoid dropping or exposing it to extreme conditions that may compromise its integrity.
- **Avoid Sharp Edges:** Be cautious of sharp edges during installation and removal to prevent injury.

Instructions for Installation and Usage

1. Installation:

- The ULOOP can be installed through eyelets, holes in railed handguards, and on KeyMod rails.
- To install, push the loose end of the cable back into the ULOOP body and snap the cable back into the locking channel.
- Ensure that the wire loop is secure before use.

2. Usage:

- To release the wire, push the wire loop down towards the body.
- Push the exposed crimp ball from the opposite side out of the locking channel.
- Pull the loose end of the cable out of the body.
- Insert the wire through eyelets, loops on weapons, holes, or slots in rails/KeyMod.
- After adjustments, ensure that the cable is properly secured back into the ULOOP body.

3. Sizes:

- The 1" size fits slings up to 1" wide.
- The 1.25" size fits slings up to 1.25" wide.
- Measure the wire loop from the base of the sling loop to the top of the loop for proper fit.

Disposal Instructions

- Dispose of the ULOOP in accordance with local regulations.
- Do not dispose of the product in household waste. Check for recycling programs that accept plastic and metal components.
- Ensure that the product is rendered unusable before disposal to prevent accidental use.

Contact Information for Further Support

For any questions or concerns regarding the ULOOP BLUE FORCE GEAR ULOOP 1.25 WEBBING SLOT BLACK, please refer to the contact information provided with your product purchase. It is important to reach out for assistance to ensure safe and effective use of the product.

Thank you for your attention to these safety instructions. Enjoy the versatility and functionality of your ULOOP!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk