

MATCH 9MM LUGER STRAIGHT FLUTED BARRELS FOR GLOCK® 43/43X - FAXON FIREARMS MATCH 9MM NON-THREAD STRAIGHT BBL FOR GLOCK 43/43X BLACK

[Handgun Parts](#) > [Barrel Parts](#) > [Barrels](#)

Faxon's Match Series pistol barrels for Glock® G43 are machined 100% in-house from stress-relieved 416-R stainless steel. These barrels are then given a black nitride or PVD coating to increase lubricity, barrel life, and resistance to surface wear. All barrels are conventionally rifled to allow a wider range of ammunition to be used, including cast lead. The barrels drop into factory-spec slides with no gunsmithing required. Better-than-factory tolerances ensure a consistent, tighter lockup than OEM. SPECS Straight Fluted 1/10 Twist 416-R Material Black Nitride Finished Target Crowned Threaded barrel has 1/2"x28 thread DISCLAIMER: "GLOCK" is a federally registered trademark of GLOCK, Inc. and is one of many trademarks owned by GLOCK, Inc. or GLOCK Ges.m.b.H. Neither Brownells nor this site are affiliated in any manner with, or otherwise endorsed by, GLOCK, Inc. or GLOCK Ges.m.b.H. The use of "GLOCK" on this page is merely to advertise the sale of GLOCK pistols, parts, or components. For genuine GLOCK, Inc. and GLOCK Ges.m.b.H. products and parts visit www.glock.com.



Attributes

- Name: [FAXON FIREARMS MATCH 9MM NON-THREAD STRAIGHT BBL FOR GLOCK 43/43X BLACK](#)
- Manufacturer: [FAXON FIREARMS](#)
- Product no.: 100048175
- Mfr. No.: GB910N43SGQ-N
- Cartridge: 9 mm Luger
- Finish: Black Nitride
- Model: 43
- Style: Non-Threaded
- Weapon type: Glock
- Delivery weight: 0.136kg
- Shipping height: 38mm
- Shipping width: 38mm
- Shipping length: 127mm
- UPC: 816341025905

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MATCH 9MM LUGER STRAIGHT FLUTED BARRELS FOR GLOCK® 43/43X](#)
- [About Us](#)

Safety Instruction Guide for MATCH 9MM LUGER STRAIGHT FLUTED BARRELS FOR GLOCK® 43/43X

Introduction

Thank you for choosing the MATCH 9MM LUGER STRAIGHT FLUTED BARRELS for your Glock® 43/43X. This guide provides important safety instructions and usage guidelines to ensure the safe handling and operation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always treat your firearm and its components as if they are loaded.
- Ensure that you are in a safe environment when handling firearms and ammunition.
- Keep firearms out of reach of children and unauthorized users.
- Regularly inspect your barrel for any signs of wear, damage, or corrosion.
- Use only compatible ammunition as specified by the manufacturer.
- Follow all local laws and regulations regarding firearm ownership and usage.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before installing or removing the barrel.
- Use proper eye and ear protection when firing.
- Do not attempt to modify or alter the barrel in any way.
- Be aware of your surroundings and ensure a safe backstop when firing.
- Store your firearm and ammunition securely and separately.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded.
- Remove the factory barrel from the Glock® 43/43X slide.
- Insert the MATCH 9MM barrel into the slide, ensuring it is seated properly.
- Reassemble the slide onto the frame of the firearm.
- Perform a function check to ensure proper operation.

2. Usage

- Load the firearm with appropriate 9mm Luger ammunition.
- Aim in a safe direction and engage the safety mechanism if available.
- Fire the firearm only when you are ready and in a controlled environment.
- After use, clean the barrel according to the manufacturer's instructions.

Disposal Instructions

- Dispose of any defective or damaged barrels in accordance with local regulations.
- Do not throw away firearms or firearm components in regular trash.
- Contact local authorities or waste management for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding safety, installation, or usage of your MATCH 9MM LUGER STRAIGHT

FLUTED BARRELS, please reach out to the manufacturer or authorized dealers for assistance.

Conclusion

Your safety and the safety of others is paramount. By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your MATCH 9MM LUGER STRAIGHT FLUTED BARRELS for Glock® 43/43X. Always prioritize safety and compliance with local laws.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk