

AR-15 MIKE-15 GEN 2 UPPER RECEIVER ASSEMBLY 223 WYLDE - FOXTROT MIKE PRODUCTS AR-15 5.56/223 WYLDE 13.9" GEN2 UPPER REC FORWARD CHARGING

[Rifle Parts](#) > [Receiver Parts](#) > [Receivers](#) > [Upper Receivers](#)

The Mike-15 Upper Receiver incorporates several novel and patent pending ideas into one of the most innovated AR-15 uppers on the market. The integrated, proprietary recoil system allows for the upper to function without the need for a lower with a buffer tube. This upper can function just fine with a stock or brace folded! The included Picatinny adapter adapts any standard AR-15 lower to a Picatinny style stock or brace (purchased separately). The Mike-15 includes a patent pending, fail proof mid-length gas system, that drastically reduces gas leakage and removes any concern about a gas block coming loose. The patented 4-position, non-reciprocating front charging handle makes for fast reloads and weapons manipulation, as the handle can be placed on either side, up or downward facing, depending on your preference. The monolithic type upper and MLOK free float handguard smoothly integrate, with the handguard also being easily removed for maintenance or swapping the charging handle. The lightweight 223 Wylde chambered barrel attached to the upper via a Foxtrot Mike patent pending "taper lock" barrel nut, which has the interior face of the barrel nut integrate with a tapered shoulder on the barrel, providing more surface area to engage and more clamping force, ensure your barrel won't shift! The match grade 41v50 barrel has a 1-8 twist, and is available in 16 or 13.9 inch lengths. The 16 inch model comes ready to go with an A2 flash hider, the 13.9 is ready for an installation of a muzzle device, which can be pinned and welded to reach a 16 inch overall length. The upper also includes 3 high grip MLOK rail covers, allowing for non-slip handling out of the box. Does NOT work on the BRN-180 lowers 13.9 inch Upper includes an A2 flash hider, which is NOT permanently attached. All NFA Rules apply.



Attributes

- Name: [FOXTROT MIKE PRODUCTS AR-15 5.56/223 WYLDE 13.9" GEN2 UPPER REC FORWARD CHARGING](#)
- Manufacturer: [FOXTROT MIKE PRODUCTS](#)
- Product no.: 100049100
- Mfr. No.: MIKE-GEN2-13.9UPR
- Cartridge: 5.56 mm NATO,223 Wylde
- Finish: Anodized
- Length: 13.9"
- Weapon type: AR-15
- Delivery weight: 2.059kg
- Shipping height: 79mm
- Shipping width: 84mm
- Shipping length: 641mm
- UPC: 860007620317

Item details

Made in USA

US export classification: I(g)

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the AR15 MIKE15 GEN 2 UPPER RECEIVER ASSEMBLY](#)
- [About Us](#)

Safety Instruction Guide for the AR15 MIKE15 GEN 2 UPPER RECEIVER ASSEMBLY

Introduction

Thank you for choosing the AR15 MIKE15 GEN 2 Upper Receiver Assembly. This product is designed with innovative features to enhance your shooting experience. Safety is our top priority, and this guide provides essential safety instructions and guidelines for the proper use and maintenance of your upper receiver assembly.

General Safety Guidelines

- Ensure that you read and understand all safety instructions before using the upper receiver assembly.
- Always treat the firearm as if it is loaded. Never point it at anything you do not intend to shoot.
- Keep the firearm stored in a secure location, out of reach of children and unauthorized users.
- Wear appropriate eye and ear protection when handling or shooting the firearm.
- Regularly inspect the upper receiver assembly for damage or wear.
- Follow all local laws and regulations regarding the ownership and use of firearms.

Specific Safety Precautions for Use

- The upper receiver assembly is designed to be used with compatible AR15 lowers. Ensure compatibility before installation.
- Do not attempt to modify or alter the upper receiver assembly in any way, as this may compromise safety and performance.
- Always use ammunition that is compatible with the 5.56 mm NATO and .223 Wylde chamber specifications.
- Be aware of the potential for gas leakage and ensure that the gas system is functioning correctly.
- When using the front charging handle, ensure that your fingers are clear of the action to avoid injury.
- Do not use the upper receiver assembly if you notice any signs of damage, such as cracks or deformation.

Instructions for Installation and Usage

1. Installation

- Ensure that the firearm is unloaded and safe to handle.
- Align the upper receiver assembly with the compatible AR15 lower receiver.
- Securely attach the upper receiver to the lower receiver, ensuring that all pins and fasteners are properly engaged.
- Install the Picatinny adapter if using a Picatinny style stock or brace (sold separately).
- Check that the charging handle is correctly installed and functioning.

2. Usage

- Load the firearm only when you are ready to shoot.
- Keep the muzzle pointed in a safe direction at all times.
- When ready to fire, release the safety mechanism and squeeze the trigger gently.
- After firing, keep the firearm pointed downrange until you are ready to reload or cease fire.
- Always ensure that the area is clear of obstructions and bystanders before firing.

Disposal Instructions

- Dispose of the upper receiver assembly in accordance with local regulations regarding firearm disposal.
- If the assembly is damaged beyond repair, contact your local waste management authority for proper disposal methods.
- Do not dispose of firearms or firearm components in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding the AR15 MIKE15 GEN 2 Upper Receiver Assembly, please reach out to the manufacturer or authorized dealer. Ensure that you have the product details ready for a swift response.

Conclusion

By following these safety instructions, you can ensure a safe and enjoyable experience with your AR15 MIKE15 GEN 2 Upper Receiver Assembly. Always prioritize safety and stay informed about best practices when handling firearms.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk