

# 2 CAVITY RIFLE BULLET MOLDS - LEE PRECISION 45 CALIBER (0.457") 340GR FLAT NOSE DOUBLE CAVITY MOLD

[Reloading](#) > [Bullet Casting](#) > [Casting Moulds](#) > [Rifle Moulds](#)

All Lee mould blocks are made from aluminum because of its exceptional moulding qualities. All mould cavities are CNC machined for unmatched roundness and size control. All hollow base moulds are single cavity only as they have a self centering, automatic core pin for the fastest possible moulding. All moulds include handles and sprue plates.



## Attributes

- Name: [LEE PRECISION 45 CALIBER \(0.457"\) 340GR FLAT NOSE DOUBLE CAVITY MOLD](#)
- Manufacturer: [LEE PRECISION](#)
- Product no.: 100053296
- Mfr. No.: 90373
- Bullet Weight (Grains): 340
- Caliber: 45 Caliber
- Cavities: -
- Diameter (in): 0.457
- Delivery weight: 0.386kg
- Shipping height: 54mm
- Shipping width: 66mm
- Shipping length: 274mm
- UPC: 734307903732

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 2 Cavity Rifle Bullet Molds
- About Us

# Safety Instruction Guide for 2 Cavity Rifle Bullet Molds

## Introduction

Thank you for choosing the 2 Cavity Rifle Bullet Molds by Lee Precision. This guide provides important safety information and instructions for the safe use, installation, and disposal of this product. Please read this guide carefully to ensure safe handling and operation.

## General Safety Guidelines

- Ensure that the product is used only by individuals who are familiar with bullet molding processes and have experience in handling firearms and related equipment.
- Always wear appropriate personal protective equipment (PPE) such as safety goggles, gloves, and protective clothing when using the mold.
- Keep the mold and all related equipment out of reach of children and unauthorized persons.
- Regularly inspect the mold for any signs of wear or damage before use. Do not use if damaged.
- Store the mold in a dry, cool place when not in use to prevent corrosion and damage.
- Follow all local laws and regulations regarding the use and manufacturing of ammunition.

## Specific Safety Precautions for Use

- Only use the mold with compatible bullet casting equipment and materials.
- Ensure that the mold is securely mounted before use to prevent accidents.
- Never exceed the recommended temperatures for melting lead or other materials as specified by the manufacturer.
- Avoid inhaling fumes produced during the melting and casting process. Use in a wellventilated area.
- Do not leave the mold unattended while in use, especially when heating.
- Allow the mold to cool completely before handling after use to prevent burns.
- Keep your work area clean and free from clutter to avoid accidents.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools and materials including lead, a heat source, and personal protective equipment.
- Ensure that your work area is clean and wellventilated.

### 2. Installation:

- Securely mount the mold to a stable surface or a bullet casting machine according to the manufacturer's instructions.
- Ensure that the sprue plate is properly aligned and functional.

### 3. Usage:

- Preheat the mold using the heat source to the appropriate temperature for lead casting.
- Melt the lead according to the manufacturer's guidelines and pour it carefully into the mold cavities.
- Wait for the lead to solidify before opening the mold. Follow the recommended cooling times.
- Once cooled, open the mold and remove the cast bullets carefully.
- Inspect each bullet for defects or irregularities.

#### 4. PostUsage:

- Clean the mold thoroughly after each use to prevent lead buildup and ensure longevity.
- Store the mold in a safe, dry place.

## Disposal Instructions

- Dispose of any waste materials, including excess lead and sprue, in accordance with local regulations and guidelines.
- Do not dispose of lead in regular trash. Check for local recycling programs or hazardous waste disposal services.
- Ensure that all packaging materials are disposed of responsibly.

## Contact Information for Further Support

For any questions or concerns regarding the use of this product, please refer to the manufacturer's website or customer service for assistance.

## Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with the 2 Cavity Rifle Bullet Molds. Always prioritize safety and adhere to all local laws and regulations when handling and using this product. Thank you for your commitment to safety and responsible usage.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)