

FN FNX-45 MAGAZINE .45ACP - PRO MAG FN FNX-45 15RD MAGAZINE .45ACP STEEL BLACK

[Magazines](#) > [Handgun Magazines](#) > [Magazines](#)

Fits FNX™-45 .45 ACP pistol Magazine body constructed of heat treated carbon steel with black oxide finish Injection molded magazine follower Magazine spring formed from heat treated chrome silicone wire Made in USA



Attributes

- Name: [PRO MAG FN FNX-45 15RD MAGAZINE .45ACP STEEL BLACK](#)
- Manufacturer: [PRO MAG](#)
- Product no.: 100053648
- Mfr. No.: FNH-A5
- Capacity: 15-Round
- Cartridge: 45 Auto (ACP)
- Finish: Black
- Material: Steel
- Model: FNX-45
- Weapon type: FN
- Delivery weight: 0.145kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 254mm
- UPC: 708279013287

Item details

Made in USA

US export classification: 0A501.x

Table of Contents

- [Startpage](#)
- [FN FNX45 Magazine Safety Instructions](#)
- [About Us](#)

FN FNX45 Magazine Safety Instructions

Introduction

Thank you for choosing the FN FNX45 Magazine. This guide provides important safety instructions and information to ensure the safe use of your magazine. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure you are of legal age to possess and use firearms and ammunition in your jurisdiction.
- Always handle firearms and magazines with care, treating them as if they are loaded at all times.
- Store the magazine in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the magazine for any signs of damage or wear before use.
- Follow all local laws and regulations regarding the use, storage, and transportation of firearms and ammunition.

Specific Safety Precautions for Use

- Do not attempt to modify or alter the magazine in any way.
- Always use the magazine with compatible firearms only. This magazine is designed specifically for the FNX™ 45 .45 ACP pistol.
- Ensure the magazine is properly seated in the firearm before use.
- Avoid exposing the magazine to extreme temperatures, moisture, or corrosive substances.
- If the magazine fails to feed, eject, or function properly, cease use immediately and inspect for damage.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Insert the magazine into the magazine well of the FNX™ 45 until you hear a click, indicating it is securely in place.
- Perform a function check to ensure the magazine is seated correctly.

2. Loading the Magazine:

- Hold the magazine with the follower facing up.
- Load the .45 ACP cartridges into the magazine, ensuring that they are pushed down and back into the magazine until fully seated.
- Do not exceed the magazine capacity of 15 rounds.

3. Using the Magazine:

- After loading, insert the magazine into the firearm as described above.
- Follow the manufacturer's instructions for your FNX™ 45 pistol for proper operation and firing.

4. Unloading the Magazine:

- Point the firearm in a safe direction.
- Remove the magazine from the firearm by pressing the magazine release button.
- Remove any remaining cartridges from the magazine by pressing down on the follower and allowing the cartridges to slide out.

Disposal Instructions

- Dispose of the magazine in accordance with local regulations regarding the disposal of metal products.
- If the magazine is damaged or no longer functional, do not attempt to repair it. Dispose of it responsibly to prevent accidental use.

Contact Information for Further Support

For any inquiries regarding the safety and use of the FN FNX45 Magazine, please contact the manufacturer or your local authorized dealer for assistance.

By following these safety instructions, you can ensure the proper and safe use of your FN FNX45 Magazine. Always prioritize safety and responsibility when handling firearms and ammunition.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk