

# AR-15/M16 GAS BLOCKS - SADLAK INDUSTRIES AR-15 SKELETONIZED LO-PRO GAS BLOCK .625 STEEL MP BLACK

[Rifle Parts](#) > [Gas System Parts](#) > [Gas Blocks](#)

## Minimal Profile to Fit Under Handguard Or With Integral Accessory Rail

All of SADLAK's Gas Blocks are made in the USA by craftsmen with years of experience delivering consistent quality. All the bores are precision honed and all critical measurements are 100% inspected to insure consistency and quality. Available in a multitude of sizes and styles, Sadlak's Gas Blocks are a great option if you are building an AR or if you are just looking to upgrade. The Gas Blocks are available in .625", .750", .875", or .936". They also feature option such as Clamp-Style, Slip-On, Skeletonized, or Adjustable, and all attaching hardware is included. All Gas Blocks except for the Picatinny Rail Gas Block are Low-Profile. Finishes include Black Nitride or Manganese Phosphate. The Sadlak Gas Blocks Mounts securely to barrel with included setscrews. Clamp-on models squeeze around the barrel as you tighten the side-mounted setscrews. Slip-on models are anchored by setscrews on the underside. Low Profile fits under a free-float handguard and lets you use a longer on carbine-length barrels for a clean, streamlined look with more gripping surface. Extended Nose is like Low-Profile, but with an extended sleeve that covers taper pin holes left by the issue A2-style sight tower.



## Attributes

- Name: [SADLAK INDUSTRIES AR-15 SKELETONIZED LO-PRO GAS BLOCK .625 STEEL MP BLACK](#)
- Manufacturer: [SADLAK INDUSTRIES](#)
- Product no.: 100054236
- Mfr. No.: GB065
- Inside Diameter: .625
- Material: Steel
- Style: Low Profile,Skeletonized
- Weapon type: AR-15
- Delivery weight: 0.091kg
- Shipping height: 25mm
- Shipping width: 102mm
- Shipping length: 102mm
- UPC: 855981008657

## Item details

Made in USA

US export classification: 0A501.x

# Table of Contents

- Startpage
- Safety Instruction Guide for SADLAK INDUSTRIES AR15 Skeletonized LoPro Gas Block
- About Us

# Safety Instruction Guide for SADLAK INDUSTRIES AR15 Skeletonized LoPro Gas Block

## Introduction

Thank you for choosing the SADLAK INDUSTRIES AR15 Skeletonized LoPro Gas Block. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read this document carefully before installation and usage.

## General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before installing or using any gas block.
- Always handle firearms with care and follow standard safety practices.
- Keep the gas block and all associated components out of reach of children and unauthorized users.
- Inspect the gas block for any signs of damage or wear before installation.
- Only use the gas block for its intended purpose as described in this guide.
- If you experience any issues during installation or usage, discontinue use immediately and seek professional assistance.

## Specific Safety Precautions for Use

### • Installation Safety:

- Wear appropriate safety gear, including gloves and eye protection, during installation.
- Ensure the firearm is unloaded and pointed in a safe direction before beginning installation.

### • Operating Conditions:

- Do not use the gas block in extreme environmental conditions (e.g., excessive heat, moisture) that could affect its performance.
- Avoid using the gas block with ammunition types not recommended by the firearm manufacturer.

### • Maintenance:

- Regularly inspect the gas block for any signs of corrosion, damage, or loosening.
- Clean the gas block according to the manufacturer's recommendations to maintain optimal performance.

### • Age Restrictions:

- This product is intended for use by adults only. Ensure that minors are supervised when handling firearms and related components.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools for installation, including a torque wrench, Allen wrenches, and any other required tools.
- Ensure you are working in a clean, welllit environment.

### 2. Installation Steps:

- Ensure the firearm is unloaded and safe.
- Remove the existing gas block if applicable, following the manufacturer's instructions.
- Align the new SADLAK gas block with the gas port on the barrel.
- For ClampStyle models, tighten the sidemounted setscrews to secure the gas block in place.
- For SlipOn models, use the setscrews on the underside to anchor the gas block.
- Confirm that the gas block is securely mounted and does not rotate.

### **3. PostInstallation:**

- Check the alignment and fit of the gas block.
- Reassemble the firearm according to the manufacturer's instructions.
- Test the firearm in a safe environment to ensure proper function.

## **Disposal Instructions**

- Dispose of the gas block in accordance with local regulations and guidelines for metal components.
- Do not dispose of the product in regular household waste.
- If the gas block is damaged beyond repair, consider recycling the metal parts.

## **Contact Information for Further Support**

For any questions or concerns regarding the SADLAK INDUSTRIES AR15 Skeletonized LoPro Gas Block, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)