

BENELLI M4 T2 MOUNT - MIDWEST INDUSTRIES BENELLI M4 AIMPOINT T2 MOUNT BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Shotgun Bases](#)

FEATURES • Compatible with Benelli M4 and clones • Allows mounting of Aimpoint T1, T2, H1, H2, and clones • Lower 1/3 co-witness, which allows the use of standard iron sights through a red dot • Provides a super clean OEM look • Weight: 1.4 oz • Constructed from Hard Coat Anodized 6061 Aluminum for a lifetime of service • Includes optic mounting screws • Reuses factory M4 rail screws, or 2x Benelli screw part number 143990A and 2x Washer 1439610A



Attributes

- Name: [MIDWEST INDUSTRIES BENELLI M4 AIMPOINT T2 MOUNT BLACK](#)
- Manufacturer: [MIDWEST INDUSTRIES](#)
- Product no.: 100101327
- Mfr. No.: MI-BM4-T2
- Model: M4
- Weapon type: Benelli
- Delivery weight: 0.227kg
- Shipping height: 102mm
- Shipping width: 25mm
- Shipping length: 127mm
- UPC: 816537015499

Item details

Made in USA

Table of Contents

- Startpage
- BENELLI M4 T2 MOUNT SAFETY INSTRUCTIONS
- About Us

BENELLI M4 T2 MOUNT SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the BENELLI M4 T2 Mount from MIDWEST INDUSTRIES. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your mount. Please read this manual carefully before installation and usage.

General Safety Guidelines

- Always ensure that the mount is compatible with your Benelli M4 or its clones.
- Do not exceed the weight limit of the mount (1.4 oz) to avoid compromising safety.
- Keep the mount and all related components out of reach of children and vulnerable individuals.
- Regularly inspect the mount for signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Ensure the mount is securely fastened to prevent accidental detachment during use.
- Always use the optic mounting screws included with the product.
- Reuse factory M4 rail screws or use the specified Benelli screw part number 143990A and washer 1439610A.
- When using the mount, always check that the red dot sight is properly aligned and functioning.
- Do not modify the mount in any way, as this may lead to safety hazards.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools including a screwdriver for installation.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Remove the existing rail screws from your Benelli M4.
- Align the BENELLI M4 T2 Mount with the rail.
- Insert the factory M4 rail screws or the specified Benelli screws (part number 143990A).
- Tighten the screws securely, ensuring the mount is firmly attached.

3. Mounting the Optic:

- Place your Aimpoint T1, T2, H1, H2, or compatible optic onto the mount.
- Use the included optic mounting screws to secure the optic in place.
- Doublecheck that the optic is securely fastened and does not move.

4. Final Checks:

- Ensure proper alignment of the optic for lower 1/3 cowitness with standard iron sights.
- Check that all screws are tightened and the mount is stable before use.

Disposal Instructions

- Dispose of the mount and any packaging materials in accordance with local waste disposal regulations.
- Do not dispose of the mount in fire as it may release harmful substances.

Contact Information for Further Support

For any inquiries regarding safety or product support, please refer to the contact details provided by the retailer or manufacturer where you purchased the product.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe use of your BENELLI M4 T2 Mount. Always prioritize safety and compliance with local laws when using firearm accessories. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk