

AR-15 GRIP SCREW TITANIUM - V SEVEN WEAPON SYSTEMS AR-15 GRIP SCREW TI RAW

[Rifle Parts](#) > [Grip Parts](#) > [Pistol Grip Components](#)

1/4-28X3/4 Unf Button Head Constructed From Grade 5 Titanium Raw Titanium Finish Lifetime Warranty Weighs 3.2 Grams Installs With A 5/32 Allen Wrench Dry Install Not Recommended. To Be Installed W/ An Oil-Based Lubricant Or Loctite. .880 in nominal length .750 threaded portion of screw length



Attributes

- Name: [V SEVEN WEAPON SYSTEMS AR-15 GRIP SCREW TI RAW](#)
- Manufacturer: [V SEVEN WEAPON SYSTEMS](#)
- Product no.: 100500027
- Mfr. No.: TI GS
- Color: Unfinished
- Make: AR-15
- Material: Titanium
- Delivery weight: 0.045kg

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for AR15 Grip Screw Titanium V Seven Weapon Systems](#)
- [About Us](#)

Safety Instruction Guide for AR15 Grip Screw Titanium V Seven Weapon Systems

Introduction

Thank you for purchasing the AR15 Grip Screw Titanium from V Seven Weapon Systems. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before installation and use.

General Safety Guidelines

- Always ensure that the product is suitable for your specific AR15 model before installation.
- Use the product only for its intended purpose; misuse may lead to injury or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of wear or damage before each use.
- If you experience any issues or malfunctions, cease use immediately and consult a professional.

Specific Safety Precautions for Use

- Handle the product with care to avoid injury from sharp edges.
- Ensure that you are using the correct tools for installation (5/32 Allen Wrench).
- Do not exceed the recommended torque specifications during installation.
- Avoid using the product in a dry environment; always apply an oilbased lubricant or Loctite to ensure proper installation.
- Do not attempt to modify or repair the product yourself.

Instructions for Installation and Usage

1. Preparation:

- Gather the necessary tools: a 5/32 Allen Wrench and an oilbased lubricant or Loctite.
- Ensure that the installation area is clean and free from debris.

2. Installation:

- Align the screw with the designated hole on your AR15 grip.
- Apply a small amount of oilbased lubricant or Loctite to the threads of the screw.
- Insert the screw into the hole and begin tightening with the Allen wrench.
- Tighten until secure, but do not overtighten to avoid stripping the threads.

3. PostInstallation:

- Check that the grip is securely attached and that there are no gaps between the grip and the receiver.
- Conduct a function check to ensure that the firearm operates correctly with the installed grip.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- Consider recycling the titanium material if possible.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please consult your retailer or V Seven Weapon Systems' official website for assistance. Always ensure that you are using products that meet EU safety standards.

By following these guidelines, you can ensure the safe use of the AR15 Grip Screw Titanium. Thank you for your attention to safety.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu