

ALPHAWOLF THREADED BARRELS FOR GLOCK® - LONE WOLF DIST. M17 ALPHAWOLF BARREL M/17 9MM THREADED 1/2 X 28

[Handgun Parts](#) > [Barrel Parts](#) > [Barrels](#)

Alpha Wolf barrels establish the benchmark for absolute accuracy and combat reliability. It is the pinnacle of what every other barrel manufacturer strives to be. Exaction tolerances allow for a drop in installation. Designed for lead, plated, or jacketed ammunition. Heat treated to RC 40-42, then Salt Bath Nitride coated. Threaded models fome with appropriate thread protector.



Attributes

- Name: [LONE WOLF DIST. M17 ALPHAWOLF BARREL M/17 9MM THREADED 1/2 X 28](#)
- Manufacturer: [LONE WOLF DIST.](#)
- Product no.: 100803002
- Mfr. No.: AW-17TH
- Barrel Length: 5.03"
- Cartridge: 9 mm Luger
- Finish: Black
- Model: 17
- Style: Drop-In,Match Grade,Threaded
- Weapon type: Glock
- Delivery weight: 0.091kg
- Shipping height: 216mm
- Shipping width: 25mm
- Shipping length: 57mm
- UPC: 639737069198

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- [Startpage](#)
- [ALPHAWOLF THREADED BARRELS FOR GLOCK® LONE WOLF DIST. M17 SAFETY INSTRUCTION GUIDE](#)
- [About Us](#)

ALPHAWOLF THREADED BARRELS FOR GLOCK® LONE WOLF DIST. M17 SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the ALPHAWOLF THREADED BARREL for your Glock® firearm. This guide provides essential safety information, installation instructions, and usage precautions to ensure your safety and the proper functioning of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always handle firearms with care and respect. Treat every firearm as if it is loaded.
- Ensure that the barrel is compatible with your Glock® model before installation.
- Store the barrel and firearm in a secure location, away from children and unauthorized users.
- Regularly inspect the barrel for any signs of damage or wear.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the barrel with ammunition that exceeds the manufacturer's specifications.
- Ensure that the firearm is unloaded before installing or removing the barrel.
- Wear appropriate eye and ear protection when using the firearm.
- Use only lead, plated, or jacketed ammunition as specified by the manufacturer.
- Be aware of your surroundings and ensure a safe shooting environment.
- Follow the manufacturer's instructions for thread protector usage to prevent damage or injury.

Instructions for Installation and Usage

Installation Instructions

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Remove the existing barrel from the Glock® by following the manufacturer's guidelines.
3. Take the ALPHAWOLF barrel and align it with the slide of the firearm.
4. Gently insert the new barrel into the slide until it is fully seated.
5. If applicable, attach the thread protector to the threaded end of the barrel.
6. Check the installation for proper fit and alignment before proceeding to use.

Usage Instructions

- Load the firearm with the appropriate ammunition.
- Always keep the muzzle pointed in a safe direction.
- Engage the safety mechanism when not actively shooting.
- After shooting, ensure the firearm is cleaned and maintained according to the manufacturer's recommendations.

Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding firearm parts.
- Do not dispose of the barrel in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the ALPHAWOLF THREADED BARREL, please refer to the manufacturer's contact point or website for assistance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk