

SIGHT BEADS - BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/8" 6-48 TPI, GOLD, 3-PAK

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

The Original "Bead-On-A-Block"

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



Attributes

- Name: [BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/8" 6-48 TPI, GOLD, 3-PAK](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146003033
- Mfr. No.:
- Sight Color: Gold
- Style: Solid Brass Bradley Beads
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/8" 648 TPI, GOLD, 3PAK
- About Us

Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/8" 648 TPI, GOLD, 3PAK

Introduction

Thank you for choosing the SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD. This guide provides essential safety instructions to ensure the safe use and installation of this product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Regularly inspect the product for any signs of wear or damage.
- Keep this product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Check the EU's Safety Gate platform for any recall updates related to this product.

Specific Safety Precautions for Use

- Always handle the product with care to avoid injury.
- Avoid using the product if it shows signs of damage or wear.
- Ensure that the sight bead is securely attached before use to prevent it from dislodging during operation.
- Use appropriate protective gear, such as eye protection, when installing or adjusting the sight bead.
- Do not modify the product in any way, as this may compromise safety and performance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools for installation, including a screwdriver compatible with the 648 TPI thread.
- Ensure the firearm is unloaded and safe to handle before beginning installation.

2. Installation Steps

- Locate the front sight mount on your firearm.
- Remove any existing sight bead using the appropriate tool.
- Clean the mounting area to ensure a secure fit for the new sight bead.
- Align the SIGHT BEAD BRADLEY GUNSIGHT BRASS SKIRTED BEAD with the mounting hole.
- Carefully screw the sight bead into place, ensuring it is tightened securely but not overtightened to avoid damage.
- Doublecheck that the sight bead is firmly attached before using the firearm.

3. Usage

- Once installed, use the sight bead as a reference point for aiming.
- Regularly check that the sight bead remains secure during use, especially after transporting the firearm.

Disposal Instructions

- Dispose of any damaged or worn sight beads responsibly, following local regulations for hazardous materials if applicable.
- If the product is no longer needed, consider recycling options where available.

Contact Information for Further Support

For any safety inquiries or support regarding the SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD, please refer to the manufacturer's contact details provided with the product packaging or on the official website.

By following these guidelines, you can ensure safe and effective use of your SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk