

# **SIGHT BEADS - BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/16" 3-56 TPI, GOLD**

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

## **The Original "Bead-On-A-Block"**

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



## **Attributes**

- Name: [BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/16" 3-56 TPI, GOLD](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146010113
- Mfr. No.: MB01
- Sight Color: Gold
- Style: Solid Brass Bradley Beads
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD Safety Instructions
- About Us

# SIGHT BEADS BRADLEY GUNSLIGHT BRASS SKIRTED BEAD Safety Instructions

## Introduction

Thank you for choosing the SIGHT BEADS BRADLEY GUNSLIGHT BRASS SKIRTED BEAD. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this manual carefully before installation or use.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's guidelines.
- Always inspect the product for any damage or defects before use.
- Keep the product out of reach of children and vulnerable individuals.
- Do not modify or alter the product in any way.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Use only with compatible universal shotguns.
- Avoid using the product in wet or humid conditions to prevent corrosion.
- Ensure that the front sight bead is securely attached before use.
- Do not use the product if it shows signs of wear or damage.
- Always wear appropriate eye protection when handling firearms.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the shotgun is unloaded and pointed in a safe direction.
- Remove the existing front sight bead if applicable.
- Clean the sight mounting area to ensure a secure fit.
- Place the SIGHT BEADS BRADLEY GUNSLIGHT BRASS SKIRTED BEAD onto the mounting block.
- Secure the bead using the appropriate screws, ensuring it is tight but not overtightened to avoid damage.

### 2. Usage:

- Once installed, align the front sight bead with the rear sight for accurate aiming.
- Practice safe handling and shooting techniques at all times.
- Regularly check the bead for tightness and condition before each use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer usable, consider recycling materials where possible.

## Contact Information for Further Support

For any inquiries regarding safety or product issues, please contact the manufacturer directly. Ensure you have

the product details ready for efficient assistance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)