

SIGHT BEADS - BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/16" 3-56 TPI, DULL SILVER, 3-PAK

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

The Original "Bead-On-A-Block"

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



Attributes

- Name: [BRADLEY GUNSIGHT BRASS SKIRTED BEAD, 1/16" 3-56 TPI, DULL SILVER, 3-PAK](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146030135
- Mfr. No.:
- Sight Color: Silver
- Style: Solid Brass Bradley Beads
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD
- About Us

Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD

Introduction

Thank you for choosing the SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD. This product is designed to enhance your shooting experience by providing a reliable front sight option. To ensure your safety and the proper use of this product, please read and follow the guidelines outlined in this manual.

General Safety Guidelines

- Always handle the sight beads with care to avoid injury.
- Ensure that the firearm is unloaded before installing or adjusting the sight.
- Keep sight beads out of reach of children and vulnerable individuals.
- Regularly inspect the sight beads for any signs of wear or damage before use.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Do not attempt to modify the sight beads in any way, as this can compromise safety and performance.
- Use only compatible firearms for installation; refer to the manufacturer's specifications.
- Avoid using the sight beads in adverse weather conditions where visibility may be compromised.
- If the sight bead becomes loose during use, stop immediately and secure it before continuing.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing front sight, if applicable.
- Select the appropriate sight bead (brass skirted bead).
- Align the sight bead with the front sight block on the firearm.
- Secure the sight bead using the appropriate screws (356 TPI) provided.
- Tighten the screws gently to avoid stripping.

2. Usage:

- Once installed, check that the sight bead is firmly in place before use.
- Practice aiming with the sight bead in a safe environment before using it in the field.
- Regularly check the alignment of the sight bead during shooting sessions.

Disposal Instructions

- Dispose of any damaged or unusable sight beads in accordance with local regulations.
- Do not dispose of sight beads in regular household waste if they are considered hazardous.
- Contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For safety inquiries or additional support regarding the SIGHT BEADS BRADLEY GUNSIGHT BRASS SKIRTED BEAD, please refer to the manufacturer's customer service channels or your local dealer.

By following these guidelines, you can ensure a safe and enjoyable experience with your SIGHT BEADS BRADLEY

GUNSIGHT BRASS SKIRTED BEAD. Thank you for prioritizing safety in your shooting activities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk