

# **SIGHT BEADS - BRADLEY GUNSIGHT STD BEAD, 1/8" 6-48 TPI, 5/64" SHANK, WHITE**

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

## **The Original "Bead-On-A-Block"**

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



## **Attributes**

- Name: [BRADLEY GUNSIGHT STD BEAD, 1/8" 6-48 TPI, 5/64" SHANK, WHITE](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146186012
- Mfr. No.: 186
- Sight Color: White
- Style: Standard Bradley Style Beads
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT
- About Us

# Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT

## Introduction

Thank you for choosing the SIGHT BEADS BRADLEY GUNSIGHT. This guide provides essential safety instructions to ensure the safe use of this product. Please read this guide carefully before installation and use.

## General Safety Guidelines

- Always ensure that the product is used in accordance with the manufacturer's specifications.
- Inspect the product regularly for any signs of wear or damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the front sight bead is securely attached before use to avoid accidents.
- Do not use the sight bead if it shows any signs of damage or wear.
- Avoid using the product in extreme weather conditions that may affect its performance.
- Use caution when handling tools during installation to prevent injury.
- Always wear appropriate safety gear, such as safety glasses, when installing or adjusting the sight bead.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools for installation, including screwdrivers and wrenches.
- Ensure you have the correct size and type of screws compatible with the sight bead.

### 2. Installation Steps

- Remove the old sight bead if applicable.
- Clean the area where the new sight bead will be installed to ensure a secure fit.
- Align the SIGHT BEADS BRADLEY GUNSIGHT with the mounting hole.
- Insert the screw and tighten it securely, ensuring the bead is stable and properly positioned.
- Check that the bead is firmly in place before use.

### 3. Usage Guidelines

- Practice aiming and adjusting your sight with the new bead in a safe environment.
- Regularly check the bead for stability and alignment during use.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options available in your area for plastic and metal components.

## **Contact Information for Further Support**

For any safety inquiries or further assistance, please reach out to the designated EU contact point for this product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)