

SIGHT BEADS - BRADLEY GUNSIGHT STD BEAD, 5/32" 3-56 TPI, 5/32" SHANK, WHITE

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

The Original "Bead-On-A-Block"

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



Attributes

- Name: [BRADLEY GUNSIGHT STD BEAD, 5/32" 3-56 TPI, 5/32" SHANK, WHITE](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146532412
- Mfr. No.: 5324
- Sight Color: White
- Style: Standard Bradley Style Beads
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT
- About Us

Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT

Introduction

Thank you for purchasing the SIGHT BEADS BRADLEY GUNSIGHT STD BEAD. This guide provides essential safety instructions and information to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Always inspect the product for any damage before use. Do not use if damaged.
- Ensure that the product is installed correctly to avoid accidents.
- Keep the product out of reach of children to prevent misuse or injury.
- Use the product only for its intended purpose as described in this guide.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Avoid using the sight bead in extreme weather conditions as it may affect performance.
- Do not attempt to modify the sight bead or its components.
- Ensure that you are using the correct tools for installation to avoid damage to the product.
- When handling the sight bead, be cautious of sharp edges to prevent cuts or injuries.

Instructions for Installation and Usage

1. Installation

- Ensure you have the following tools ready: a screwdriver and a wrench.
- Remove any existing sight bead from your firearm.
- Align the SIGHT BEADS BRADLEY GUNSIGHT with the sight base on your firearm.
- Secure the bead in place using the appropriate screws and tools. Ensure it is tightly fitted to prevent movement during use.

2. Usage

- When aiming, ensure that the sight bead is properly aligned with your target.
- Practice safe handling of your firearm at all times.
- Regularly check the sight bead for any signs of wear or damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product with general household waste.
- If the product is damaged beyond repair, contact your local waste management for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the SIGHT BEADS BRADLEY GUNSIGHT, please refer to the manufacturer's contact information or your point of purchase.

Thank you for prioritizing safety while using the SIGHT BEADS BRADLEY GUNSIGHT. Your adherence to these

guidelines ensures a safer experience for yourself and others.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk