

SIGHT BEADS - BRADLEY GUNSIGHT STD BEAD, 5/32" 3-56 TPI, 5/32" SHANK, WHITE, 3-PAK

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

The Original "Bead-On-A-Block"

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



Attributes

- Name: [BRADLEY GUNSIGHT STD BEAD, 5/32" 3-56 TPI, 5/32" SHANK, WHITE, 3-PAK](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146532432
- Mfr. No.:
- Make: Universal Shotguns
- Sight Color: White
- Style: Standard Bradley Style Beads
- Delivery weight: 0.005kg

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instructions for SIGHT BEADS BRADLEY GUNSIGHT STD BEAD, 5/32" 356 TPI, 5/32" SHANK, WHITE, 3PAK
- About Us

Safety Instructions for SIGHT BEADS BRADLEY GUNSIGHT STD BEAD, 5/32" 356 TPI, 5/32" SHANK, WHITE, 3PAK

Introduction

Thank you for choosing the SIGHT BEADS BRADLEY GUNSIGHT STD BEAD. This guide provides essential safety instructions and guidelines to ensure the safe use and maintenance of this product. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear.
- Follow all installation and usage instructions provided in this guide.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate safety gear when handling tools or firearms.
- Confirm that the firearm is unloaded before installing or adjusting the sight bead.
- Do not attempt to modify or alter the product in any way.
- Ensure that the sight bead is securely installed before using the firearm.
- Avoid using the product in extreme weather conditions that may affect performance.

Instructions for Installation and Usage

1. Installation of the Sight Bead

- Ensure that the firearm is unloaded.
- Use a suitable tool to remove the existing sight if applicable.
- Clean the area where the sight will be installed to ensure proper adhesion.
- Insert the SIGHT BEADS BRADLEY GUNSIGHT STD BEAD into the sight base, ensuring a snug fit.
- Tighten any screws or fasteners securely to prevent movement during use.

2. Usage of the Sight Bead

- Align the sight bead with your target before taking aim.
- Maintain a stable shooting position for accuracy.
- Regularly check the alignment of the sight bead during use, especially after transport or storage.

3. Maintenance

- Clean the sight bead with a soft cloth to remove dirt and debris.
- Inspect for any signs of wear or damage before each use.
- Replace the sight bead if it shows signs of significant wear or if it becomes loose.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.

- If the product is damaged or no longer usable, contact your local waste management authority for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or productrelated questions, please refer to the contact information provided on the packaging or visit the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the SIGHT BEADS BRADLEY GUNSIGHT STD BEAD. Always prioritize safety and compliance with local regulations when using this product. Thank you for your attention to these important guidelines.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu