

SIGHT BEADS - BRADLEY GUNSIGHT STD BEAD, 5/32" 6-48 TPI, 7/64" SHANK, WHITE, 3-PAK

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

The Original "Bead-On-A-Block"

Standard Bradley - Places the front sight bead on a block of steel for positive indexing, greater surface area and increased strength. Available in red and white colored plastic or gold brass beads. Metric Bradley - Beads are all white in color. Solid Brass Bradley - Uniform yellow brass (gold) or white brass (silver) beads with or without positive-stop skirts.



Attributes

- Name: [BRADLEY GUNSIGHT STD BEAD, 5/32" 6-48 TPI, 7/64" SHANK, WHITE, 3-PAK](#)
- Manufacturer: [BRADLEY GUNSIGHT](#)
- Product no.: 146532732
- Mfr. No.:
- Sight Color: White
- Style: Standard Bradley Style Beads
- Weapon type: Universal Shotguns
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT STD BEAD
- About Us

Safety Instruction Guide for SIGHT BEADS BRADLEY GUNSIGHT STD BEAD

Introduction

Thank you for choosing the SIGHT BEADS BRADLEY GUNSIGHT STD BEAD. This guide provides essential safety instructions to ensure the safe use of this product. It is important to read and understand these guidelines before using the product to prevent any accidents or injuries.

General Safety Guidelines

- Always ensure the product is suitable for your specific firearm.
- Inspect the sight beads for any damage before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Do not use the product if it shows signs of wear or damage.
- Follow all safety instructions provided by the firearm manufacturer.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Avoid using the sight beads in extreme conditions (e.g., very high or low temperatures).
- Ensure that the sight beads are securely installed before use.
- Do not modify or alter the sight beads in any way.
- Use appropriate tools when installing the sight beads to avoid injury.
- Wear safety glasses when handling tools or performing installations.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a screwdriver and any other tools specified by the firearm manufacturer.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Remove the existing front sight if applicable.
- Clean the sight base area to ensure proper adhesion.
- Place the Bradley Gun Sight bead on the sight base.
- Securely fasten the bead according to the manufacturer's instructions, ensuring it is tightly in place.

3. Usage:

- Once installed, aim the firearm with the sight bead aligned with the target.
- Adjust your stance and grip to ensure stability while aiming.
- Practice regularly to become familiar with using the sight bead effectively.

Disposal Instructions

- Dispose of any damaged or worn sight beads in accordance with local waste disposal regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials.
- Check with local authorities for specific disposal guidelines related to firearm accessories.

Contact Information for Further Support

For any inquiries regarding the safety and use of the SIGHT BEADS BRADLEY GUNSIGHT STD BEAD, please consult the manufacturer's website or contact their customer service for assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk