

STAINLESS STEEL RODS - DEWEY 24-HSS ROD

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rods](#)

Tough, Strong, Can't Embed

Scratch-causing, particles of jacket metal, powder fouling and other crud simply can't embed in the hard, tough, stainless steel of these rods. Ball bearing handles and a universal, brass patch loop.



Attributes

- Name: [DEWEY 24-HSS ROD](#)
- Manufacturer: [DEWEY](#)
- Product no.: 234022024
- Mfr. No.: 24HSS
- Caliber: 22 Caliber (.223-.224)
- Material: Stainless
- Style: Rifle
- Delivery weight: 0.166kg
- Shipping height: 25mm
- Shipping width: 25mm
- Shipping length: 699mm
- UPC: 608060300100

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for STAINLESS STEEL RODS DEWEY 24HSS ROD](#)
- [About Us](#)

Safety Instruction Guide for STAINLESS STEEL RODS DEWEY 24HSS ROD

Introduction

Thank you for choosing the STAINLESS STEEL RODS DEWEY 24HSS ROD. This guide provides important safety instructions to ensure safe and effective use of the product. Please read this manual carefully before use to familiarize yourself with the safety precautions and operational guidelines.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a cleaning rod for firearms.
- Store the rod in a safe place, out of reach of children and pets.
- Inspect the rod regularly for any signs of damage or wear before each use.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses when using the rod.
- Do not use the rod for any purpose other than cleaning firearms.
- Keep the rod away from moisture to prevent corrosion.
- Follow all local laws and regulations regarding firearm maintenance and cleaning.

Specific Safety Precautions for Use

- Avoid using the rod with excessive force to prevent bending or breaking.
- Use the rod in a well-ventilated area to minimize exposure to cleaning solvents and chemicals.
- Ensure that the firearm is unloaded and pointed in a safe direction before using the cleaning rod.
- Be cautious of sharp edges and points on the rod when handling.
- Do not leave the rod unattended while in use.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather all necessary cleaning supplies, including cleaning solvents and patches.

2. Attaching the Patch:

- Use the brass patch loop to attach a cleaning patch securely.
- Ensure the patch fits snugly to avoid any slipping during cleaning.

3. Inserting the Rod:

- Insert the rod into the firearm's barrel gently, ensuring it is aligned properly.
- Avoid forcing the rod into the barrel as this may cause damage.

4. Cleaning Process:

- Use a backandforth motion to clean the barrel, applying cleaning solvent as needed.
- Avoid excessive pressure to prevent damage to the barrel or the rod.

5. Removing the Rod:

- Once cleaning is complete, carefully withdraw the rod from the barrel.
- Inspect the rod for any debris or residue and clean it as necessary.

6. PostUse Care:

- Wipe the rod with a clean cloth and store it in a dry place.
- Ensure that the rod is free from any cleaning solvents before storage.

Disposal Instructions

- Dispose of any cleaning patches, solvents, or other materials used during the cleaning process according to local regulations.
- The stainless steel rod can be recycled; check with your local recycling program for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the manufacturer's contact details provided with the product packaging.

By following these guidelines, you can ensure a safe and effective cleaning experience with your STAINLESS STEEL RODS DEWEY 24HSS ROD. Thank you for prioritizing safety and responsible firearm maintenance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk