

BRASS JAGS - DEWEY 45JM FITS .44-.45 CALIBER

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Best Quality, Excellent Design

Extra-long jag with raised, ribbed segments to press more of a patch's surface against the bore to absorb more fouling. Fit Dewey Stainless, Rig, and Hoppe's rods. Require adapters when used with Dewey Coated Rods. 17 and 20 caliber male threaded jags do not need adapters to fit into the 17 and 20 caliber coated rods.



Attributes

- Name: [DEWEY 45JM FITS .44-.45 CALIBER](#)
- Manufacturer: [DEWEY](#)
- Product no.: 234801045
- Mfr. No.: 45JM
- Caliber: 44 Caliber,45 Caliber
- Delivery weight: 0.023kg
- Shipping width: 58mm
- Shipping length: 53mm
- UPC: 608060200646

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for BRASS JAGS DEWEY 45JM FITS .44.45 CALIBER
- About Us

Safety Instruction Guide for BRASS JAGS DEWEY 45JM FITS .44.45 CALIBER

Introduction

Thank you for choosing the BRASS JAGS DEWEY 45JM. This product is designed to enhance your cleaning experience for .44 to .45 caliber firearms. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Always handle firearms with care and follow all manufacturer safety instructions.
- Ensure the firearm is unloaded before using the cleaning jag.
- Keep the cleaning area wellventilated and free from distractions.
- Store the cleaning jag in a safe place out of reach of children.
- Regularly inspect the cleaning jag for any signs of damage before use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- **Hazard Identification:**

- The jag is designed for use with specific calibers (.44 to .45). Using it with incompatible calibers may lead to damage or injury.
- The jag may have sharp edges. Handle with care to avoid cuts or punctures.

- **Avoiding Hazards:**

- Always use the jag with compatible cleaning rods (Dewey Stainless, Rig, and Hoppe's rods).
- Use adapters when using with Dewey Coated Rods to prevent damage.
- Ensure that the jag is securely attached to the cleaning rod before use.
- Do not exceed the recommended pressure when cleaning to avoid damaging the bore.

Instructions for Installation and Usage

- **Installation:**

1. Select the appropriate cleaning rod compatible with the BRASS JAGS DEWEY 45JM.
2. If using with Dewey Coated Rods, attach the necessary adapter.
3. Screw the jag onto the cleaning rod's male thread (540 for .17 and .20 caliber, 832 male above .20 caliber).
4. Ensure the connection is tight and secure.

- **Usage:**

1. Before starting, ensure the firearm is completely unloaded.
2. Insert the jag into the bore gently, ensuring it fits snugly.
3. Use a cleaning patch that fits the jag to maximize surface contact.
4. Move the cleaning rod back and forth gently to clean the bore.
5. After cleaning, remove the jag and patch carefully.

Disposal Instructions

- Dispose of the cleaning jag responsibly. If damaged, do not throw it in regular waste.
- Follow local regulations for disposing of metal products.
- Consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the BRASS JAGS DEWEY 45JM, please reach out to the manufacturer or your retailer for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective cleaning experience with your BRASS JAGS DEWEY 45JM. Thank you for prioritizing safety and responsible firearm maintenance.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk