

1911 "MELT" BUSHING - EGW MELT BUSHING WRENCH

[Handgun Parts](#) > [Barrel Parts](#) > [Barrel Bushings](#)

Gives Slide A Finished Look

Large flange eliminates the sharp edges and step of conventional bushings. 1911 fits Govt. Melt Bushings require a two piece guide rod set-up to disassemble your gun. The spring will need to be taken out of the back as well. The flange on the melt bushing is too large to allow a spring plug to pull out from the front.



Attributes

- Name: [EGW MELT BUSHING WRENCH](#)
- Manufacturer: [EGW](#)
- Product no.: 296000001
- Mfr. No.: 70502
- Finish: -
- Model: -
- Style: -
- Weapon type: 1911
- Delivery weight: 0.027kg
- Shipping height: 8mm
- Shipping width: 76mm
- Shipping length: 145mm
- UPC: 841370108619

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 "MELT" BUSHING EGW MELT BUSHING WRENCH
- About Us

Safety Instruction Guide for 1911 "MELT" BUSHING EGW MELT BUSHING WRENCH

Introduction

Thank you for choosing the 1911 "MELT" BUSHING EGW MELT BUSHING WRENCH. This product is designed to enhance your firearm experience by providing a safe and efficient way to work with your 1911 government model. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the wrench out of reach of children and vulnerable individuals.
- Inspect the wrench for any visible damage before use. Do not use if damaged.
- Always wear appropriate safety gear, such as eye protection, when using this product.
- Be aware of your surroundings and ensure that you are in a safe environment while performing any maintenance on your firearm.
- Follow all local laws and regulations regarding firearm maintenance and modifications.

Specific Safety Precautions for Use

• Hazard Identification:

- Sharp edges may be present on the bushing or wrench. Handle with care to avoid cuts.
- Improper installation can lead to firearm malfunction. Ensure proper fitting.

• Avoiding Hazards:

- Always ensure the firearm is unloaded before beginning any maintenance.
- Use the wrench only as directed. Do not apply excessive force that may lead to breakage.
- If you are unsure about using the wrench, consult a qualified gunsmith.

Instructions for Installation and Usage

• Installation:

1. Ensure the firearm is completely unloaded.
2. Remove the recoil spring and guide rod from the firearm.
3. Use the EGW MELT BUSHING WRENCH to remove the existing bushing by turning it counterclockwise.
4. Install the new melt bushing by aligning it properly and turning it clockwise until secure.
5. Reinsert the guide rod and recoil spring, ensuring everything is correctly positioned.

• Usage:

- Use the wrench to tighten or loosen the bushing as needed.
- Avoid overtightening, which can cause damage to the firearm or the bushing.
- Always store the wrench in a safe location after use.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling regulations.
- If the product is damaged beyond repair, dispose of it in a way that complies with local waste management regulations. Do not dispose of it in regular household waste.

Contact Information for Further Support

For any inquiries regarding the safety and usage of the 1911 "MELT" BUSHING EGW MELT BUSHING WRENCH, please contact your local distributor or refer to the manufacturer's website for further assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with your 1911 "MELT" BUSHING EGW MELT BUSHING WRENCH. Always prioritize safety and compliance with local regulations during firearm maintenance. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk